

6 REFERENCES

Adrian, K. C. (1991). *American Last Making*. St. Louis, Missouri: Brown Shoe Company.

African National Congress. (2005). *Umrabulo*, number 22, February 2005. Available from: http://www.anc.org.za/ancdocs/pubs/umrabulo/umrabulo22/basic_econ.html (Accessed 15 January 2006).

Anderson, M., Blais, M. & Green, W. T. (1956). Growth of the normal foot during childhood and adolescence. *American Journal of Physical Anthropology*, 14:287-308.

Anil, A., Peker, T., Turgut, H. B. & Ulukent, S. C. (1997). An examination of the relationship between foot length, foot breadth, ball girth, height and weight of Turkish university students aged between 17 and 25. *Anthropologischer Anzeiger*, 55 (1): 79-87.

Arlen, D. I. (1984). Consumer Survey on Footwear: An Examination of Purchasing Practices. *Journal of the American Podiatry Association*, 74 (5): 247-253.

Baba, K. (1975). Foot measurement for shoe construction with reference to the relationship between foot length, foot breadth, and ball girth. *Journal of Human Ergology (Tokyo)*, 3 (2): 149-156.

Backhouse, K. M. & Hutchings, R. T. (1989). *A Colour Atlas of Surface Anatomy*. London: Wolfe Medical Publications.

Beers, M. H. & Berkow, R. (Editors). (1999). *The Merck Manual of Diagnosis and Therapy*. Seventeenth Edition. New Jersey: Merck Research Laboratories.

Bell, G. H., Davidson, J. N. & Scarborough, H. (1968). *Textbook of Physiology and Biochemistry*. Seventh Edition. Edinburgh: Churchill Livingstone.

Benard, M. A. & Stephens, D. G. (1979). A Racial Comparison of Morphology in the Lower Extremity: A Preliminary Study. *Journal of the American Podiatry Association*, 69 (5): 287-295.

Bennett, P. J. & Duplock, L. R. (1993). Pressure distribution beneath the human foot. *Journal of the American Podiatry Medical Association*, 83 (12):674-678.

Bojsen-Møller, F. (1979). Anatomy of the forefoot, normal and pathologic. *Clinics in Orthopaedics*, 142:10-18.

Bojsen-Møller, F & Lamoreux, L. (1979). Significance of Free Dorsiflexion of the Toes in Walking. *Acta Orthopaedica Scandinavica*, 50:471-479.

CAESAR [Civilian American and European Surface Anthropometry Resource Project]. (n.d.). Available from http://www.vitus.de/english/caesar_en.html (Accessed 11 January 2006).

Canale, S. T. (Editor). (1998). *Campbell's Operative Orthopaedics*. Volume 2. St. Louis: Mosby.

Cavanagh, P. R. (Editor). (1980). *The Running Shoe Book*. Mountain View, California: Anderson World Inc.

Chantelau, E. & Haage, P. (1994). An audit of cushioned diabetic footwear: relation to patient compliance. *Diabetic Medicine*, 11(1):114-116.

Chantelau, E. & Gede, A. (2002). Foot dimensions of elderly people with and without diabetes mellitus – a data basis for shoe design. *Gerontology*, 48 (6) 408.

Cheskin, M. P. (1987) *The Complete Handbook of Athletic Footwear*. New York: Fairchild Publications.

Dawber, R., Bristow, I. & Mooney, J. (1996). *The Foot: Problems in Podiatry and Dermatology*. London: Martin Dunitz Ltd.

De Berker, D., Bristow, I., Baran, R. & Dawber, R. (2002). *Nails Appearance and Therapy*. Second Edition. London: Martin Dunitz Limited.

Ergotech [Ergonomics Technologies]. (n.d.). Available from http://www.armscorbusiness.com/SubSites/ERGO/ERG02_01.asp (Accessed 15 January 2006).

Ferrari, J., Hopkinson, D. A. & Linney, A.D. (2004). Size and Shape Differences between Male and Female Foot Bones. *Journal of the American Podiatric Medical Association*, 94 (5):434-452.

Fuller, E. A. (1994). A Review of the Biomechanics of Shoes. *Clinics in Podiatric Medicine and Surgery*, 11 (2): 241-258.

Frey, C., Thompson, F., Smith, J., Sanders, M. & Horstman, H. (1993). American Orthopaedic Foot and Ankle Society Women's Shoe Survey. *Foot & Ankle*, 14 (2): 78-81.

Gaskin, M. E., Greene, A.F., Robinson, M. E. & Geisser, M.E. (1992). Negative affect and the experience of chronic pain. *Journal of Psychosomatic Research*, 36(8):707-713.

Guyton, A. C. & Hall, J. E. (1997). *Human Physiology and Mechanisms of Disease*. Philadelphia: W. B. Saunders Company.

Hargens, A. R. (1981). Introduction and historical perspectives. In: *Tissue Fluid Pressure and Composition*. Edited by Hargens, A.R. Baltimore: Williams and Wilkins.

Hawes, M.R., Nachbauer, W., Sovak, D. & Nigg, B. M. (1992). Footprint Parameters as a Measure of Arch Height. *Foot & Ankle*, 13(1): 22-26.

- Hawes, M. R., Sovak, D., Miyashita, M., Kang, S., Yoshihuku, Y. & Tanaka, S. (1994). Ethnic differences in forefoot shape and the determination of shoe comfort. *Ergonomics*, 37 (1): 187-196.
- Hawes, M. R. & Sovak, D. (1994). Quantitative morphology of the human foot in a North American population. *Ergonomics*, 37 (7): 1213-1226.
- Hays, W. L. (1994). *Statistics*. Fifth Edition, Fort Worth: Harcourt Brace & Company.
- Healey, J. F. (1993). *Statistics: A Tool for Social Research*. Third Edition, Belmont, California: Wadsworth Publishing Company.
- Hill, L. M. (1958). Changes in the proportion of the female foot during growth. *American Journal of Physical Anthropology*, 16: 349.
- Hitzeroth, H.W. (1986). On the genetic interrelationships of South African Negroes. *American Journal of Physical Anthropology*, 69 (3): 389-401.
- Houston, V. L. (2002). *Biomechanical Studies and Optical Digitizer Development for Enhanced Orthopedic Footwear*. [Annual Report/DAMD17-00-1-0577]. Maryland, Fort Detrick: United States Army Medical Research and Material Command.
- Hughes, J., Clark, P. & Klenerman, L. (1990). The importance of the toes in walking. *The Journal of Bone and Joint Surgery (British)*, 72-B (2):245-251.
- Hughes, J. R. (1995). Footwear Assessment. In: *Assessment of the Lower Limb*. Edited by Merriman, L. M. & Tollafield, D. R. Edinburgh: Churchill Livingstone.
- Igbigbi, P. S. & Mutesasira, A. N. (2003). Calcaneal angle in Ugandans. *Clinics in Anatomy*, 16 (4):328-330.

- Jackson, P. (1996). Footloose in Archaeology. *Journal of British Podiatric Medicine*, 51 (5):67-70.
- Jackson, R. (1990). The Chinese Foot-Binding Syndrome: Observations on the History and Sequelae of Wearing Ill-Fitting Shoes. *International Journal of Dermatology*, 29 (5): 322-328.
- Johnson, J. (1994). Footwear alleviates aches, fatigue through better fit, shock absorption. *Occupational Health & Safety*, 63 (3):68-69.
- Katz, W. A. (2002). Musculoskeletal pain and its socioeconomic implications. *Clinics in Rheumatology*, 21, Supplement 1:S2-4.
- Kenney, J. F. & Keeping, E. S. (1962). *Mathematics of Statistics, Part One*. Third Edition, Princeton, New Jersey: Van Nostrand.
- Kidd, R. (1995). *An investigation into the patterns of morphological variation in the proximal tarsus of selected human groups, apes and fossils: a morphometric analysis*. Doctoral thesis, University of Western Australia.
- Kidd, R.S. & Oxnard, C.E. (1997). Patterns of morphological discrimination in the human talus: a consideration of the case of negative function. In: *Perspectives in Human Biology*. Edited by Henneberg, M., Freedman, L. Perth: Centre for Human Biology; Singapore: World Scientific Publishing.
- Klenerman, L., Nissen, K. I. & Baker, H. (1976). Common causes of pain in the region of the foot. In: *The Foot and its Disorders*. Edited by Klenerman, L. Oxford: Blackwell Scientific Publications.
- Konz, S. & Subramanian, V. (1989). Footprints. In: *Advances in Industrial Ergonomics and Safety I*. Edited by Mital, A. London: Taylor & Francis.

- Kouchi, M. (1989). The sexual difference in foot shape. *Journal of the Society of Biomechanisms*, 13:142-147.
- Kouchi, M. (1995). Analysis of foot shape variation based on the medial axis of foot outline. *Ergonomics*, 38 (9): 1911-1920.
- Kouchi, M. (1996). Relation between the medial axis of the foot outline and 3-D foot shape. *Ergonomics*, 39 (6): 853-861.
- Kouchi, M. & Mochimaru, M. (2004). Japanese Sizing System [Digital Human Research Centre]. Available from <http://www.dh.aist.go.jp/> (Accessed December, 2004).
- Krauss, I., Grau, S., Janssen, P., Maiwald, C., Mauch, M. & Horstmann, T. (2005). *Gender Differences in Foot Shape*. Proceedings of the 7th Symposium on Footwear Biomechanics, Cleveland, Ohio, United States of America.
- Kurz, M. J. & Stergiou, N. (2004). Does Footwear Affect Ankle Coordination Strategies? *Journal of the American Podiatry Medical Association*, 94: 53-58.
- Kusumoto, A., Suzuki, T., Kumakura, C. & Ashizawa, K. (1996). A comparative study of foot morphology between Filipino and Japanese women, with reference to the significance of a deformity like hallux valgus as a normal variation. *Annals of Human Biology*, 23(5): 373-385.
- Lean, M.E.J. (1998). *Clinical handbook of weight management*. London: Martin Dunitz Limited.
- Lewis, C. P., Lavy, C. B. & Harrison, W. J. (2002). Delay in skeletal maturity in Malawian children. *British Journal of Bone and Joint Surgery*, July; 84 (5):732-734.
- Linde, D. (1999). Executive Director's Review: Annual Report of the Southern African Footwear and Leather Industries Association [SAFLIA]. Presented at the SAFLIA meeting: Pinetown, South Africa.

- Liu, W., Miller, J., Stefanyshyn, D. & Nigg, B. M. (1999). Accuracy and reliability of a technique for quantifying foot shape, dimensions and structural characteristics. *Ergonomics*, 42 (2): 346-358.
- Lord, M. & Pratt, D. J. (1999). Footwear therapy. In: *Clinical Skills in Treating the Foot*. Edited by Tollafield, D. R. & Merriman, L. M. New York: Churchill Livingstone.
- Lucock, L. J. (1972). *Last Design and Foot Health*. Lecture C10, SATRA Conference Proceedings. 'Foot Comfort and Health' Conference. Corby: United Kingdom.
- Lumley, J.S.P. (1990). *Surface Anatomy: The Anatomical Basis of Clinical Examination*. Edinburgh: Churchill Livingstone.
- Luximon, A., Goonetilleke, R. S. & Tsui, K. L. (2003). Foot landmarking for footwear customization. *Ergonomics*, 46 (4):364-383.
- Macfarlane, R. M. & Jeffcoate, W. J. (1997). Factors contributing to the presentation of diabetic foot ulcers. *Diabetic Medicine*, 14 (10): 867-870.
- Mann, R. A. & Hagy, J. L. (1979). The function of the toes in walking, jogging and running. *Clinics in Orthopaedics*, 142:24-29.
- Mantaura, A & Bryant, H. (1989). Nail disorders due to trauma and other acquired conditions of the nail. *Clinics in Podiatric Medicine and Surgery*, 6 (2):347-354.
- Massey, F. J. (1951). The Kolmogorov-Smirnov test of goodness of fit. *Journal of the American Statistical Association*, 46 (253):68-78.
- McGlamry, E. D. (1978). Shoes Can Be Therapeutic. *Journal of the American Podiatry Association*, 68 (4): 232-234.

McKears, D. W. & Owen, R. H. (1979). *Surface Anatomy for Radiographers*. Bristol: John Wright & Sons Limited.

Melville, S. & Goddard, W. (1996). *Research Methodology*. Kenwyn: Juta & Company Limited.

Menz, H. B. & Sherrington, C. (2000). The footwear assessment form: a reliable clinical tool to assess footwear characteristics of relevance to postural stability in older adults. *Clinics in Rehabilitation*, 14:657-664.

Metior, M. (2004). Last measurements; footwear in South Africa and broader female feet. Telephonic interview during 2004 with Thompson, A. (Senior Designer, Michelle Footwear: Manufacturer of “Froggie” and “Soul of Africa” footwear brands, Durban, South Africa. Tel. +27 (031) 4500 200).

Miller, R. G. & Redwood, S. R. (Editors). (1989). *Manual of Shoemaking*. Second Edition, 6th Impression. Bristol: C. & J. Clark Ltd.

Mongini, F., Ciccone, G., Deregibus, A., Ferrero, L. & Mongini, T. (2004). Muscle tenderness in different headache types and its relation to anxiety and depression. *Pain*, 112(1-2): 59-64.

Nancarrow, S. A. (1999). Footwear suitability scale: a measure of shoe fit for people with diabetes. *Australian Journal of Podiatric Medicine*, 33 (2): 57-62.

O’Higgins, P. & Johnson, D. R. (1988). The quantitative description and comparison of biological forms. *C.R.C. Critical Reviews in Anatomical Sciences* 1:149-170.

Özdemir, H., Söyüncü, Y., Özgörge, M. & Dabak, K. (2004). Effects of Changes in Heel Fat Pad Thickness and Elasticity on Heel Pain. *Journal of the American Podiatry Medical Association*, 94: 47-52.

PACSA [Pietermaritzburg Agency for Christian Social Awareness]. (2005). *A Study of the Footwear Sector in Pietermaritzburg: The Economic Impact*. PACSA Factsheet Number 53 (July). Pietermaritzburg: PACSA Publications.

Parham, K. R., Gordon, C. C. & Bense, C. K. (1992). *Anthropometry of the Foot and Lower Leg of U.S. Army Soldiers: Fort Jackson, SC—1985*. [Technical Report Natick/TR-92/028]. Natick, Massachusetts: United States Army Natick Research, Development and Engineering Center.

Patriquin, M. L., Loth, S. R. & Steyn, M. (2003). Sexually dimorphic pelvic morphology in South African whites and blacks. *Homo*, 53 (3):255-262.

Phillips, R. D. (2000). The Normal Foot. *Journal of the American Podiatric Medical Association*, 90 (7):342-345.

Polhemus Inc. (2004). Fast Scan User Training, July 2004. Colchester, Vermont, United States of America.

Pratt, D. (2001). Last measurements; footwear in South Africa and broader female feet. Telephonic interview during April, 2001 with Thompson, A. (Senior executive, Bolton Footwear: Ladies division, Manufacturer of “Step On Air” “Young Klinik” footwear brands, Oudtshoorn, and Watson’s Shoes, Great Brak River, South Africa. Tel. +27 (44620) 2121 or +27 82 381 5196).

Rai, J., Bansal, V. P. & Prakash, S. (1978). Dimensional study of arch height and girths of foot in Panjabi children. *Indian Journal of Medical Research*, 68, July: 121-129.

Rendall, G. C., Thomson, C. E. & Boyd, P.M. (1997). Disorders of the adult foot. In: *Neale’s Common Foot Disorders*. Fifth Edition. Edited by Lorimer, D., French, G. and West, S. New York: Churchill Livingstone.

Riches, K. (1980a). Lecture 1: Shoe Styles and Terminology. In: *Footwear Product Knowledge*. Edited by Riches, K. Port Elizabeth: Ken Riches Footwear Consultants: 1-44.

Riches, K. (1980b). Lecture 3: The Human Foot, the Last on which the shoe is made; and Foot and Shoe Sizing. In: *Footwear Product Knowledge*. Edited by Riches, K. Port Elizabeth: Ken Riches Footwear Consultants: 1-46.

Robinette, K. M. & Daanen, H. (1999). The Caesar Project: A 3-D Surface Anthropometry Survey, In: *Proceedings of Second International Conference on 3-D Imaging and Modeling (3DIM'99)*, 3dim: 380.

Rossi, W. A. (1980). The Last: heart of the shoe. *Journal of the American Podiatry Association*, 70 (10): 533-534.

Rossi, W. A. (1983). The Enigma of Shoe Sizes. *Journal of the American Podiatry Association*, 73 (5): 273-274.

Rossi, W. A. (1985). The seven basic shoe styles. *Journal of the American Podiatric Medical Association*, 75 (3):169-171.

Rossi, W. A. (1988). The Futile Search for the Perfect Shoe Fit. *Journal of Testing and Evaluation*, 16 (4):393-403.

Rossi, W. A. (2000). *The Complete Footwear Dictionary*. Second Edition. Florida: Krieger Publishing Company.

Rossi, W. A. (2003). The Foot: Mother of Humanity. *Podiatry Management*, 22 (4): 189-214.

Rossi, W. A. & Tennant, R. (1984). *Professional Shoe Fitting*. New York: National Shoe Retailers Association.

Rys, M. & Konz, S. (1994). Standing. *Ergonomics*, 37 (4):677-687.

- Schuster, R. O. (1978). The Effects of Modern Footgear. *Journal of the American Podiatry Association*, 68 (4): 235-241.
- Seale, K. S. (1995). Women and their shoes: unrealistic expectations? *Instructional Course Lectures*, 44:379-384.
- Seibel, M. O. (1988). *Foot Function: a programmed text*. Baltimore: Williams & Wilkins.
- Sheldon, W. H. (1940). *The varieties of human physique: An introduction to constitutional psychology*. New York: Harper & Brothers.
- Sokolowski, S. L. (1999). *Development of a methodology to describe the morphology of the human foot for footwear: Application for women's footwear*. Doctoral dissertation. St. Paul, Illinois: University of Minnesota.
- Smith, S.A. & Norris, B.J. (2004). Changes in the body size of UK and US children over the past three decades. *Ergonomics*, 47 (11):1195-1207.
- Smith, T., Pitts, T. & Green, D. (1992) Pes Cavus. In: *Comprehensive Textbook of Foot Surgery*. Second Edition. Edited by McGlamry, E. Banks, A. & Downey M. Baltimore: Williams & Wilkins: 731-767.
- Stamm, T. T. (1964). *A Guide to Orthopaedics*. Oxford: Blackwell Scientific Publications.
- Statistics South Africa. (n.d.). Available from <http://www.statssa.gov.za/census2001/digiAtlas/index.html> (Accessed 15 July 2004).
- Steinberg, A.G., Jenkins, T., Nurse, G. T. & Harpending, H. C. (1975). Gammaglobulin groups of the Khoisan peoples of Southern Africa: evidence for polymorphism for a GM1,5,13,14,21 haplotype among the San. *American Journal of Human Genetics*, 27 (4): 528-542.

Stewart, S. F. (1972). Footgear – its history, uses and abuses. *Clinical Orthopaedics and Related Research*, 88:119-130.

Stewart, W. F., Ricci, J. A., Chee, E., Morganstein, D. & Lipton, R. (2003). Lost Productive Time and Cost Due to Common Pain Conditions in the US Workforce. *Journal of the American Medical Association*, 290 (18):2443-2454.

Sullivan, L. H. (1947). The Tall Office Building Artistically Considered. In: *The Documents of Modern Art, Volume 4 [Kindergarten Chats (revised 1918) and Other Writings]*. Edited by Athey, I. New York: George Wittenborn Incorporated: 202-13.

Tachdjian, M. O. (1990). *Pediatric Orthopaedics*. Volume I, Second Edition. Philadelphia: W. B. Saunders Company.

Thompson, A. L. T. and Zipfel, B. (2005). The unshod child into womanhood – forefoot morphology in two populations. *The Foot*, 15 (1):22-28.

Tobias, P. V. (2005). *Into the Past: A Memoir*. Johannesburg: Picador Africa.

Trinkaus, E. (2005). Anatomical evidence for the antiquity of human footwear use. *Journal of Archaeological Science*, 32:1515-1526.

Turner, J. (2006). *Sizing system, designations and marking for boots and shoes*. Technical Report ISO/TC 137:N101. Geneva, Switzerland: International Standards Organization.

Vandenhede, L. (October 2003). *Last measurements; footwear in South Africa and broader female feet*. Telephone conversations with Thompson, A. (Director, Fanci-Form, Last Manufacturers, Pinetown, South Africa. Tel. +27 (031) 7058106).

Viladot, A. (1973). Metatarsalgia due to biomechanical alteration of the forefoot. *Orthopaedic Clinics of North America*, 4, (1):165-178.

Vitronic Dr.-Ing. Stein Bildverarbeitungs-systeme GmbH. Wiesbaden Germany, (n.d.). participant in the CAESAR Civilian American and European Anthropometry Research Project. Available from http://www.vitus.de/english/caesar_en.html (Accessed on 11 January 2006).

Volpon, J. B. (1994). Footprint analysis during the growth period. *Journal of Pediatric Orthopaedics*, 14 (1):83-85.

Welkowitz, J., Ewen, R. B. & Cohen, J. (1982). *Introductory Statistics for the Behavioural Sciences*. Third Edition, New York: Academic Press.

Wells, L.H. (1931). The foot of the South African native. *American Journal of Physical Anthropology*, 15(2); 185-289.

Whitaker, J.M., Rousseau, L., Williams, T., Rowan, R. A. & Hartwig, W. C. (2002). Scoring system for estimating age in the foot skeleton. *American Journal of Physical Anthropology*, 118 (4); 385-392.

WHO (1998). *Obesity: preventing and managing the global epidemic*. Geneva: World Health Organisation; June 3-5.

Wilson, E. (May 2005). *Last measurements; footwear in South Africa*. Telephone interview with Thompson, A. (Senior last maker at PMC Group, John Whittle Components, Pinetown, Natal. Tel. +27 (031) 7014740)

Wunderlich, R. E & Cavanagh, P. R. (2001). Gender differences in adult foot shape: implications for shoe design. *Journal of Medicine & Science in Sports & Exercise*, 33 (4) 605-611.

Zipfel, B., Kidd, R. & Berger, L. (2003). Morphological variation in the metatarsus of selected modern and ancient Holocene people from South Africa [abstract]. *American Journal of Physical Anthropology*. Supplement 36:231.

Zipfel, B. (2004). *Morphological variation in the metatarsal bones of selected recent and pre-pastoral humans from South Africa*. Doctoral thesis, University of the Witwatersrand.