

**A CLINICAL EVALUATION OF
OVERNIGHT ORTHOKERATOLOGY AS A
METHOD OF VISION CORRECTION**

BY

**PRITHIPAUL RAMKISSOON
STUDENT NUMBER: 9808225**



**SUBMITTED IN PARTIAL FULFILMENT OF THE REQUIREMENTS
FOR THE DOCTOR PHILOSOPHIAE DEGREE IN OPTOMETRY IN
THE FACULTY OF NATURAL SCIENCE**

AT THE

**RAND AFRIKAANS UNIVERSITY
SOUTH AFRICA**

PROMOTER: PROFESSOR JT FERREIRA

9 SEPTEMBER, 2004

DEDICATION

1. This is dedicated to the pupils of Valley Place of Safety and Sunlit Garden's Home for Orphans. This degree cannot substitute all the pain and suffering that we had to endure, but is a symbol of our childhood dreams.
2. To my wife, Prelina for the support and everlasting encouragement.
3. To my sisters, we could not choose our race, parents or the home we were born in but we could choose our destiny through education, our passport to the world of opportunities.



The Human Cornea: “Our window to the world”. The cornea is a major refracting surface. The more we learn about the cornea, the greater will be the evolution of orthokeratology.

CONTENTS

| | |
|---|-----------|
| 1. ABSTRACT | 1 |
| 2. INTRODUCTION | 4 |
| 2.1 Background and rationale for the study | 4 |
| 2.2 Aim | 6 |
| 2.3 Objectives | 6 |
| 3. LITERATURE REVIEW | 7 |
| 3.1 Orthokeratology | 7 |
| 3.1.1 A historical perspective of orthokeratology | 7 |
| 3.1.2 Theories on what produces orthokeratology | 18 |
| 3.1.3 Orthokeratology controlled studies | 20 |
| 3.1.4 Different orthokeratology lens design philosophies | 27 |
| 3.1.5 Daywear orthokeratology versus overnight orthokeratology | 28 |
| 3.2 Myopia | 31 |
| 3.2.1 Definition of myopia and its significance | 31 |
| 3.2.2 Epidemiology of myopia | 32 |
| 3.2.3 Aetiology of myopia | 32 |
| 3.2.4 Onset and progression of myopia | 38 |
| 3.2.5 Psychological aspects of myopia | 39 |
| 3.2.6 Myopia control and prevention | 40 |
| 3.3 Ocular physiology and its relation to orthokeratology and contact lenses | 42 |
| 3.3.1 The lids | 42 |
| 3.3.2 The conjunctiva | 46 |
| 3.3.3 The cornea | 47 |
| 3.3.4 The pre-corneal tear film | 53 |
| 3.4 Some variables to evaluate the efficacy of overnight orthokeratology | 58 |
| 3.4.1 High contrast visual acuity | 58 |
| 3.4.2 Refractive error | 61 |
| 3.4.3 Central anterior corneal curvature | 64 |
| 3.4.4 Contrast sensitivity | 67 |
| 3.4.5 Stereopsis | 69 |
| 3.4.6 Intra-ocular pressure | 71 |
| 3.5 Evaluation of the health of the cornea and conjunctiva | 73 |
| 3.5.1 Tear break up time (TBUT) | 73 |
| 3.5.2 Staining of tissues | 74 |
| 4. RESEARCH METHODOLOGY | 75 |
| 4.1 Research design | 75 |
| 4.2 Subjects and sampling procedure | 75 |
| 4.3 Lenses | 76 |
| 4.4 Care regimen | 78 |
| 4.5 Data gathering instruments | 79 |
| 4.6 Procedure | 88 |

| | |
|---|------------|
| 4.7 Method of data analysis | 115 |
| 4.8 Ethical consideration | 115 |
| 5. RESULTS | 116 |
| 5.1 Socio-demographic characteristics of the subjects | 116 |
| 5.2 Discontinuations | 118 |
| 5.3 Unaided visual acuity | 119 |
| 5.4 Refractive error | 121 |
| 5.5 Central anterior corneal curvature | 163 |
| 5.6 Contrast sensitivity | 193 |
| 5.7 Stereopsis | 207 |
| 5.8 Intra-ocular pressure | 208 |
| 5.9 Tear break up time (TBUT) | 210 |
| 5.10 Staining | 213 |
| 5.11 Quality-of-life questionnaire | 230 |
| 6 DISCUSSION | 247 |
| 6.1 Introduction | 247 |
| 6.2 Myopia | 247 |
| 6.2.1 Myopia as a public health problem | 247 |
| 6.2.2 Psychological aspect of myopia | 248 |
| 6.2.3 Candidate suitability | 248 |
| 6.3 Variables used to evaluate the efficacy of overnight orthokeratology | 251 |
| 6.3.1 High contrast static visual acuity | 251 |
| 6.3.2 Refractive error | 252 |
| 6.3.3 Central anterior corneal curvature | 253 |
| 6.3.4 Contrast sensitivity | 254 |
| 6.3.5 Stereopsis | 255 |
| 6.3.6 Intra-ocular pressure (IOP) | 256 |
| 6.4 Methods of assessing the safety and integrity of the cornea and conjunctiva | 257 |
| 6.4.1 Lids | 258 |
| 6.4.2 Conjunctiva | 258 |
| 6.4.3 Pre-corneal tear film and TBUT | 259 |
| 6.4.4 Cornea | 260 |
| 6.4.5 Limbal hyperaemia and neovascularisation | 263 |
| 6.4.6 Van Herick test | 264 |
| 6.5 Quality-of-life questionnaire | 265 |
| 6.6 Efficacy, predictability and safety | 269 |
| 7 CONCLUSION | 270 |
| 8 RECOMMENDATIONS | 273 |
| 9 REFERENCES | 274 |
| 10 ACKNOWLEDGEMENTS | 291 |
| 11 APPENDICES | 292 |
| 11.1 Ethical clearance and approval of research | 292 |
| 11.2 Consent form | 293 |
| 11.3 Comprehensive overnight orthokeratology questionnaire | 295 |
| 11.4 Overnight ortho-k contact lens care and handling information | 302 |

| | |
|--|-----|
| 11.5 Disclaimer | 302 |
| 11.6 Trouble -shooting | 302 |
| 11.7 Regulation 241 | 313 |
| 11.8 Classification of vehicles governing Regulation 241 | 314 |
| 11.9 Visual requirements for pilots and drivers licences in South Africa | 315 |

12 LIST OF FIGURES

| | |
|--|----|
| Figure 1. Schematic design of a “flat” fit | 8 |
| Figure 2. Schematic design of an “on-k” fit | 10 |
| Figure 3. Schematic design of a “steep” fit | 11 |
| Figure 4. An advert for refractive surgery | 13 |
| Figure 5. Schematic design of a 4-curve reverse geometry lens | 14 |
| Figure 6. Profile of a reverse geometry lens | 14 |
| Figure 7. Topography of the cornea after PRK | 17 |
| Figure 8. Myopic cornea before and after orthokeratology | 20 |
| Figure 9. Distribution of refractive error of 1000 eyes using Stenstrom’s data | 33 |
| Figure 10. “Myopic Creep” | 39 |
| Figure 11. A cross-section of the lid anatomy | 42 |
| Figure 12. Lid positions | 45 |
| Figure 13. Structure of the cornea | 47 |
| Figure 14. 3-D drawing of the corneal epithelium | 48 |
| Figure 15. Structure of the tear layer | 54 |
| Figure 16. A typical Snellen letter | 60 |
| Figure 17. Schematic illustration of refractive errors | 63 |
| Figure 18. Conic sections | 64 |
| Figure 19. Corneal curvature changes using the different methods of vision correction | 66 |
| Figure 20. A typical photopic contrast sensitivity function | 67 |
| Figure 21. Schematic diagram of aqueous humour outflow | 71 |
| Figure 22. IOP direction in the eye | 72 |
| Figure 23. Ortho-k lenses | 76 |
| Figure 24. Sauflon all in one light multi-purpose solution | 79 |
| Figure 25. Jeil ACP Projector | 80 |
| Figure 26. Topcon VT-10 phoropter | 81 |
| Figure 27. TMS-2 Topographer | 81 |
| Figure 28. Example of sine wave plates used in the FACT chart | 82 |
| Figure 29. The Randot stereotest booklet | 83 |
| Figure 30. Nikon CS-2 slit lamp used to evaluate corneal and conjunctival integrity | 85 |
| Figure 31. CT 20 Non-contact tonometer | 85 |
| Figure 32. Shin-Nippon binocular radiuscope | 86 |
| Figure 33. The Toptronic T630 lightmeter | 86 |
| Figure 34. Pupil gauge | 87 |
| Figure 35. Topography of the cornea before and after orthokeratology | 91 |
| Figure 36. Upper lid | 94 |
| Figure 37. The bulbar conjunctiva divided into 4 regions | 95 |
| Figure 38. Cornea divided into 5 zones for evaluating staining | 96 |
| Figure 39. Grading scale of corneal staining | 96 |

| | |
|--|-----|
| Figure 40. Different corneal eccentricities | 102 |
| Figure 41. “Bulls eye” pattern | 103 |
| Figure 42. Wratten Filter | 104 |
| Figure 43. Spreadsheet showing the determination of the reverse curve | 106 |
| Figure 44. Histogram showing age distribution of the subjects | 117 |
| Figure 45. LogMAR visual acuity during the course of orthokeratology | 121 |
| Figure 46. Refractive error trend from baseline (BL) to 12 months of orthokeratology | 122 |
| Figure 47. Refractive error reduction achieved for the right eye | 123 |
| Figure 48. Refractive error reduction achieved for the left eye | 124 |
| Figure 49. Stereo-pair scatter plot of raw refractive data ($n = 30$) from baseline to 12 months of orthokeratology for the right eye | 154 |
| Figure 50. Stereo-pair scatter plot of raw refractive data ($n = 30$) from base line to 12 months of orthokeratology for the left eye | 155 |
| Figure 51. Stereo-pair trajectories of change in dioptric power/“Comet” plot of refractive data of 30 subjects from baseline to day 1 after orthokeratology for the right eye | 155 |
| Figure 52. Stereo-pair trajectory “Comet” plot of refractive data of 30 subjects from baseline to day 1 after orthokeratology for the left eye | 156 |
| Figure 53. “Comet” plot of refractive data of 30 subjects from day 1 to week 1 after orthokeratology for the right eye | 156 |
| Figure 54. “Comet” plot of refractive data from 30 subjects from day 1 to week 1 after orthokeratology for the left eye | 157 |
| Figure 55. “Comet” plot of refractive data of 30 subjects for week 1 to month 1 after orthokeratology for the right eye | 157 |
| Figure 56. “Comet” plot of refractive data of 30 subjects from week 1 to month 1 after orthokeratology for the left eye | 158 |
| Figure 57. “Comet” plot of refractive data of 30 subjects from month 1 to month 3 after orthokeratology for the right eye | 158 |
| Figure 58. “Comet” plot of refractive data of 30 subjects from month 1 to month 3 after orthokeratology for the left eye | 159 |
| Figure 59. “Comet” plot of refractive data of 30 subjects from month 3 to month 6 after orthokeratology for the right eye | 159 |
| Figure 60. “Comet plot of refractive data of 30 subjects from month 3 to month 6 after orthokeratology for the left eye | 160 |
| Figure 61. “Comet” plot of refractive data of 30 subjects from baseline to month 6 after orthokeratology for the right eye | 160 |
| Figure 62. “Comet” plot of refractive data of 30 subjects from baseline to month 6 after orthokeratology for the left eye | 161 |
| Figure 63. 95 % Confidence ellipsoids of refractive data of 30 subjects from baseline to month 12 of orthokeratology for the right eye | 161 |
| Figure 64. 95 % Confidence ellipsoids of refractive data of 30 subjects from baseline to month 12 after orthokeratology for the left eye | 162 |
| Figure 65. Stereo-pair scatter plot of central keratometric data of 30 subjects at baseline and after month 12 of orthokeratology for the right eye | 191 |
| Figure 66. Stereo-pair scatter plot of keratometric data of 30 subjects at baseline and after 12 months of orthokeratology for the left eye | 191 |

| | |
|---|-----|
| Figure 67. 95 % Confidence ellipsoids of central keratometric data of 30 subjects at baseline and after 12 months of orthokeratology for the right eye | 192 |
| Figure 68. 95 % Confidence ellipsoids of central keratometric data of 30 subjects at baseline and after 12 months of orthokeratology for the left eye | 193 |
| Figure 69. Contrast sensitivity function during the study period for the right eye | 206 |
| Figure 70. Contrast sensitivity function during the study period for the left eye | 206 |
| Figure 71. Mean stereoacuity trend | 208 |
| Figure 72. Mean IOP trend for the right and left eyes | 210 |
| Figure 73. Mean Tear break up time trend for the right eye | 213 |
| Figure 74. Mean Tear break up time trend for the left eye | 213 |
| Figure 75. Corneal staining at baseline | 218 |
| Figure 76. Corneal staining at day 1 of orthokeratology | 219 |
| Figure 77. Corneal staining at week 1 of orthokeratology | 219 |
| Figure 78. Corneal staining at month 1 of orthokeratology | 220 |
| Figure 79. Corneal staining at month 3 of orthokeratology | 221 |
| Figure 80. Corneal staining at month 6 of orthokeratology | 222 |
| Figure 81. Corneal staining at month 12 of orthokeratology | 222 |
| Figure 82. Distribution of central staining according to grade for the right eye | 225 |
| Figure 83. Distribution of central staining according to grade for the left eye | 226 |
| Figure 84. Tab unit | 306 |
| Figure 85. Suction Cup/DMV device | 206 |
| Figure 86. Scratches and their removal | 309 |
| Figure 87. Demonstrating the use of a drum tool and a suction cup | 310 |
| Figure 88. South African Road Traffic Ordinance 241 governing driving | 313 |
| Figure 89. Classification of vehicles in South Africa | 314 |

13 LIST OF TABLES

| | |
|---|-----|
| Table 1. The prevalence of myopia in some countries | 32 |
| Table 2. Pharmaceutical substances patented for control of myopia | 41 |
| Table 3. Visual acuity notations | 60 |
| Table 4. The Rinehart-Reeves diagnostic fitting set | 77 |
| Table 5. Details of Sauflon all in one light multi-purpose solution | 78 |
| Table 6. Contrast values for the various spatial frequencies | 82 |
| Table 7. Stereoacuity values at a distance of 40 cm | 84 |
| Table 8. Biomicroscopy quantification chart of tarsal abnormalities | 94 |
| Table 9. Biomicroscopy quantification chart of bulbar conjunctival injection | 95 |
| Table 10. Biomicroscopy quantification chart of corneal staining | 97 |
| Table 11. Biomicroscopy quantification chart of corneal oedema | 98 |
| Table 12. Biomicroscopy quantification chart of limbal injection | 98 |
| Table 13. Biomicroscopy quantification chart of neovascularisation | 99 |
| Table 14. Van Herick angle grades 1 through 4 | 100 |
| Table 15. Outcome variables and test instrumentation | 100 |
| Table 16. Age of recruited subjects | 116 |
| Table 17. Occupation of the subjects | 117 |
| Table 18. Hobbies of interests of the recruited subjects | 118 |
| Table 19. Pre-orthokeratology optical correction of subjects | 118 |
| Table 20. Reason for premature discontinuation from study | 119 |

| | |
|---|-----|
| Table 21. LogMAR High contrast acuity for the right eye | 119 |
| Table 22. LogMAR High contrast acuity for the left eye | 120 |
| Table 23. Percentage of subjects reaching key VA landmark data points | 120 |
| Table 24. Baseline data of refractive error for the right eye | 124 |
| Table 25. The variance-covariance matrix of refractive data at baseline for the right eye | 126 |
| Table 26. The sample skewness and kurtosis of refractive data at baseline for the right eye | 126 |
| Table 27. Baseline data of refractive error for the left eye | 127 |
| Table 28. The variance-covariance matrix of refractive data at baseline for the left eye | 128 |
| Table 29. The sample skewness and kurtosis of refractive data at baseline for the left eye | 128 |
| Table 30. Refractive data at day 1 after orthokeratology for the right eye | 129 |
| Table 31. The variance-covariance matrix of refractive data after day 1 of orthokeratology for the right eye | 130 |
| Table 32. The sample skewness and kurtosis of refractive data after day 1 of orthokeratology for the right eye | 131 |
| Table 33. Refractive data at day 1 after orthokeratology for the left eye | 131 |
| Table 34. Variance-covariance of refractive data after day 1 of orthokeratology for the left eye | 132 |
| Table 35. Skewness and kurtosis of refractive data after day 1 of orthokeratology for the left eye | 133 |
| Table 36. Refractive data at week 1 after orthokeratology for the right eye | 133 |
| Table 37. Variance-covariance of refractive data after week 1 of orthokeratology for the right eye | 134 |
| Table 38. Skewness and kurtosis of refractive data after week 1 of orthokeratology for the right eye | 135 |
| Table 39. Refractive data after week 1 of orthokeratology for the left eye | 135 |
| Table 40. Variance-covariance week 1 of orthokeratology for the left eye | 136 |
| Table 41. Skewness and leptokurtosis week 1 of orthokeratology for the left eye | 137 |
| Table 42. Refractive data after month 1 of orthokeratology for the right eye | 137 |
| Table 43. Variance-covariance after month 1 of orthokeratology for the right eye | 138 |
| Table 44. Skewness and kurtosis after month 1 of orthokeratology for the right eye | 139 |
| Table 45. Refractive data after month 1 of orthokeratology for the left eye | 139 |
| Table 46. Variance-covariance after month 1 of orthokeratology for the left eye | 140 |
| Table 47. Skewness and kurtosis after month 1 of orthokeratology for the left eye | 141 |
| Table 48. Refractive data after month 3 of orthokeratology for the right eye | 141 |
| Table 49. Variance-covariance of refractive data after month 3 of orthokeratology for the right eye | 142 |
| Table 50. Skewness and kurtosis of refractive data after month 3 of orthokeratology for the right eye | 143 |
| Table 51. Refractive data after month 3 of orthokeratology for the left eye | 143 |
| Table 52. Variance-covariance of refractive data after month 3 of orthokeratology for the left eye | 145 |
| Table 53. Skewness and kurtosis of refractive data after month 3 of orthokeratology for the left eye | 145 |
| Table 54. Refractive data after month 6 of orthokeratology for the right eye | 145 |

| | |
|--|-----|
| Table 55. Variance-covariance of refractive data after month 6 of orthokeratology for the right eye | 147 |
| Table 56. Skewness and kurtosis of refractive data after month 6 of orthokeratology for the right eye | 147 |
| Table 57. Refractive data after month 6 of orthokeratology for left eye | 147 |
| Table 58. Variance-covariance of refractive data after month 6 of orthokeratology for the left eye | 149 |
| Table 59. Skewness and kurtosis of refractive data after month 6 of orthokeratology for the left eye | 149 |
| Table 60. Refractive data after month 12 of orthokeratology for the right eye | 149 |
| Table 61. Variance-covariance of refractive data after month 12 of orthokeratology for the right eye | 151 |
| Table 62. Skewness and kurtosis of refractive data after month 12 of orthokeratology for the right eye | 151 |
| Table 63. Refractive data after month 12 of orthokeratology for the left eye | 151 |
| Table 64. Variance-covariance of refractive data after month 12 of orthokeratology for the left eye | 153 |
| Table 65. Skewness and kurtosis of refractive data after month 12 of orthokeratology for the left eye | 153 |
| Table 66. Central auto-keratometric measurement at baseline for the right eye | 163 |
| Table 67. The variance-covariance matrix of central auto-keratometric measurement at baseline for the right eye | 164 |
| Table 68. The sample skewness and kurtosis of central auto-keratometric measurement at baseline for the right eye | 164 |
| Table 69. Central auto-keratometric measurement at baseline for the left eye | 165 |
| Table 70. The variance-covariance matrix of central auto-keratometric measurement at baseline for the left eye | 166 |
| Table 71. The sample skewness and kurtosis of central auto-keratometric measurement at baseline for the left eye | 166 |
| Table 72. Central auto-keratometric measurement after day 1 of orthokeratology for the right eye | 167 |
| Table 73. The variance-covariance matrix central auto-keratometric measurement after day 1 of orthokeratology for the right eye | 168 |
| Table 74. The sample skewness and kurtosis central auto-keratometric measurement after day 1 of orthokeratology for the right eye | 168 |
| Table 75. Central auto-keratometric measurement after day 1 of orthokeratology for the left eye | 169 |
| Table 76. The variance-covariance matrix of central auto-keratometric measurement after day 1 of orthokeratology for the left eye | 170 |
| Table 77. The sample skewness and kurtosis of central auto-keratometric measurement after day 1 of orthokeratology for the left eye | 170 |
| Table 78. Central auto-keratometric measurement after week 1 of orthokeratology for the right eye | 171 |
| Table 79. The variance-covariance matrix central auto-keratometric measurement after week 1 of orthokeratology for the right eye | 172 |
| Table 80. The sample skewness and kurtosis central auto-keratometric measurement after week 1 of orthokeratology for the right eye | 172 |
| Table 81. Central auto-keratometric measurement after week 1 of orthokeratology for the left eye | 173 |

| | |
|---|-----|
| Table 82. The variance-covariance matrix central auto-keratometric measurement after week 1 of orthokeratology for the left eye | 174 |
| Table 83. The sample skewness and kurtosis central auto-keratometric measurement after week 1 of orthokeratology for the left eye | 174 |
| Table 84. Central auto-keratometric measurement after month 1 of orthokeratology for the right eye | 175 |
| Table 85. The variance-covariance matrix central auto-keratometric measurement after month 1 of orthokeratology for the right eye | 176 |
| Table 86. The sample skewness and kurtosis central auto-keratometric measurement after month 1 of orthokeratology for the right eye | 176 |
| Table 87. Central auto-keratometric measurement after month 1 of orthokeratology for the left eye | 177 |
| Table 88. The variance-covariance matrix central auto-keratometric measurement after month 1 of orthokeratology for the left eye | 178 |
| Table 89. The sample skewness and kurtosis central auto-keratometric measurement after month 1 of orthokeratology for the left eye | 178 |
| Table 90. Central auto-keratometric measurement after month 3 of orthokeratology for the right eye | 180 |
| Table 91. The variance-covariance matrix central auto-keratometric measurement after month 3 of orthokeratology for the right eye | 180 |
| Table 92. The sample skewness and kurtosis central auto-keratometric measurement after month 3 of orthokeratology for the right eye | 180 |
| Table 93. Central auto-keratometric measurement after month 3 of orthokeratology for the left eye | 181 |
| Table 94. The variance-covariance matrix central auto-keratometric measurement after month 3 of orthokeratology for the left eye | 182 |
| Table 95. The sample skewness and kurtosis of central auto-keratometric measurement after month 3 of orthokeratology for the left eye | 182 |
| Table 96. Central auto-keratometric measurement after month 6 of orthokeratology for the right eye | 183 |
| Table 97. The variance-covariance matrix of central auto-keratometric measurement after month 6 of orthokeratology for the right eye | 184 |
| Table 98. The sample skewness and kurtosis of central auto-keratometric measurement after month 6 of orthokeratology for the right eye | 184 |
| Table 99. Central auto-keratometric measurement after month 6 of orthokeratology for the left eye | 185 |
| Table 100. The variance-covariance matrix of central auto-keratometric measurement after month 6 of orthokeratology for the left eye | 186 |
| Table 101. The sample skewness and kurtosis of central auto-keratometric measurement after month 6 of orthokeratology for the left eye | 186 |
| Table 102. Central auto-keratometric measurement after month 12 of orthokeratology for the right eye | 187 |
| Table 103. The variance-covariance matrix central auto-keratometric measurement after month 12 of orthokeratology for the right eye | 188 |
| Table 104. The sample skewness and kurtosis central auto-keratometric measurement after month 12 of orthokeratology for the right eye | 188 |
| Table 105. Central auto-keratometric measurement after month 12 of orthokeratology for the left eye | 189 |

| | |
|--|-----|
| Table 106. The variance-covariance matrix of central auto-keratometric measurement after month 12 of orthokeratology for the left eye | 190 |
| Table 107. The sample skewness and kurtosis of central auto-keratometric measurement after month 12 of orthokeratology for the left eye | 190 |
| Table 108. Means and standard deviation of contrast sensitivity at 1.5 cycles per degree | 194 |
| Table 109. Means and standard deviation of contrast sensitivity at 3 cycles per degree | 195 |
| Table 110. Means and standard deviation of contrast sensitivity at 6 cycles per degree | 195 |
| Table 111. Means and standard deviation of contrast sensitivity at 12 cycles per degree | 197 |
| Table 112. Means and standard deviation of contrast sensitivity at 18 cycles per degree | 198 |
| Table 113. Paired- <i>t</i> test of contrast sensitivity for the right and left eyes at baseline | 199 |
| Table 114. Paired- <i>t</i> test of contrast sensitivity for the right and left eyes at day 1 after orthokeratology | 200 |
| Table 115. Paired- <i>t</i> test of contrast sensitivity for the right and left eyes at week 1 after orthokeratology | 201 |
| Table 116. Paired- <i>t</i> test of contrast sensitivity for the right and left eyes at month 1 after orthokeratology | 202 |
| Table 117. Paired- <i>t</i> test of contrast sensitivity for the right and left eyes at month 3 after orthokeratology | 203 |
| Table 118. Paired- <i>t</i> test of contrast sensitivity for the right and left eyes at month 6 after orthokeratology | 204 |
| Table 119. Paired- <i>t</i> test of contrast sensitivity for the right and left eyes at month 12 after orthokeratology | 205 |
| Table 120. Stereoacuity | 207 |
| Table 121. Mean IOP for the right eye | 208 |
| Table 122. Mean IOP for the left eye | 209 |
| Table 123. Paired- <i>t</i> test of IOP for the right and left eyes | 209 |
| Table 124. Mean TBUT for the right eye | 210 |
| Table 125. Mean TBUT for the left eye | 211 |
| Table 126. Paired- <i>t</i> test of TBUT for the right and left eyes | 212 |
| Table 127. Distribution of staining of the everted upper lid for the right eye | 214 |
| Table 128. Distribution of staining of the everted upper lid for the left eye | 214 |
| Table 129. Distribution of staining of the bulbar conjunctiva for the right eye | 215 |
| Table 130. Distribution of staining of the bulbar conjunctiva for the left eye | 215 |
| Table 131. Distribution of injection of the bulbar conjunctiva for the right eye | 216 |
| Table 132. Distribution of injection of the bulbar conjunctiva for the left eye | 216 |
| Table 133. Distribution of corneal staining for the right eye | 217 |
| Table 134. Distribution of corneal staining for the left eye | 218 |
| Table 135. The degree/type of staining and its percentage frequency found in the right eye | 223 |
| Table 136. The degree of staining and its percentage frequency found in the left eye | 224 |
| Table 137. Distribution of corneal oedema for the right eye | 227 |
| Table 138. Distribution of corneal oedema for the left eye | 227 |

| | |
|--|-----|
| Table 139. Distribution of limbal injection of the right eye | 228 |
| Table 140. Distribution of limbal injection of the left eye | 228 |
| Table 141. Distribution of grade of the temporal anterior chamber angle of the right eye | 229 |
| Table 142. Distribution of grade of the temporal anterior chamber angle of the left eye | 230 |
| Table 143. How would you rate the ease of sleeping with the lenses? | 231 |
| Table 144. How would you rate the ease of removing the lenses? | 231 |
| Table 145. How would you rate your unaided vision during the day? | 232 |
| Table 146. How would you rate unaided vision at night? | 232 |
| Table 147. For how long have you been a spectacle lens wearer? | 233 |
| Table 148. For how long have you been a contact lens wearer? | 233 |
| Table 149. If you were a contact lens wearer, were you using hard or soft lenses? | 234 |
| Table 150. How many hours a day did you wear your previous spectacles? | 234 |
| Table 151. How many hours a day did you wear your previous contact lenses? | 234 |
| Table 152. Why did you opt to try orthokeratology? | 235 |
| Table 153. Have you had any problems with your previous pair of contact lenses? | 235 |
| Table 154. Have you had any problems with your previous spectacles? | 235 |
| Table 155. How would you rate your corrected distance vision in a well-lit room prior to overnight orthokeratology? | 236 |
| Table 156. How would you rate your corrected near vision in a well-lit room prior to overnight orthokeratology? | 236 |
| Table 157. How would you rate your corrected distance vision in dim lighting prior to overnight orthokeratology? | 237 |
| Table 158. How would you rate your corrected near vision in dim lighting prior to overnight orthokeratology? | 237 |
| Table 159. How would you rate your distance vision in a well-lit room with overnight orthokeratology? | 238 |
| Table 160. How would you rate your near vision in a well-lit room with overnight orthokeratology? | 238 |
| Table 161. How would you rate your distance vision in dim lighting with overnight orthokeratology? | 239 |
| Table 162. How would you rate your near vision in dim lighting with overnight orthokeratology? | 239 |
| Table 163. With overnight orthokeratology, is your vision good enough for you to function without additional prescription spectacles or contact lenses? | 240 |
| Table 164. Did you experience itchinness before orthokeratology? | 240 |
| Table 165. Did you experience itchinness after orthokeratology? | 240 |
| Table 166. Did you experience redness before orthokeratology? | 241 |
| Table 167. Did you experience redness after orthokeratology? | 241 |
| Table 168. Did you experience excessive watering before orthokeratology? | 241 |
| Table 169. Did you experience excessive watering after orthokeratology? | 241 |
| Table 170. Did you experience haloes before orthokeratology? | 242 |
| Table 171. Did you experience haloes after orthokeratology? | 242 |
| Table 172. Did you experience photophobia before orthokeratology? | 242 |
| Table 173. Did you experience photophobia after orthokeratology? | 243 |

| | |
|--|-----|
| Table 174. Did you experience eye pain before orthokeratology? | 243 |
| Table 175. Did you experience eye pain after orthokeratology? | 243 |
| Table 176. How do you feel about handling your orthokeratology lenses? | 244 |
| Table 177. How would you rate the ease of sleeping with overnight orthokeratology lenses? | 244 |
| Table 178. How would you rate the ease of removing orthokeratology lenses? | 245 |
| Table 179. Do you feel that that the quality of vision improved since overnight orthokeratology? | 245 |
| Table 180. Do you feel that that the quality of life improved since overnight orthokeratology? | 245 |
| Table 181. Are you glad that you had overnight orthokeratology? | 246 |
| Table 182. Would you advise your friends to have overnight orthokeratology? | 246 |



