

References

2229AD sheet Total Field Magnetic Intensity Contours, 1:25000, 1998

Barker, F., 1979, Trondhjemite: Definition, environment and hypotheses of origin. In: F. Barker (Editor), Trondhjemites, dacites and related rocks Elsevier, Amsterdam, The Netherlands, 1-12.

Barnett, W.P., 2003. Geological control on slope failure mechanisms in the open pit at the Venetia Mine. South African Journal of Geology, Vol 106(2/3) pp. 149-164

Barton, J.M. Jr., Barnett, W.P., Barton, E.S., Barnett, M., Doorgapershad, A., Twiggs, C., Klemd, B.R., Martin, J., Mellonig, L. and Zenglein, R., 2003, The geology of the areas surrounding the Venetia kimberlite pipes, Limpopo Belt, South Africa: A complex interplay of Nappe Tectonics and Granitoid Magmatism, South African Journal of Geology, v. 106, 109-128

Barton, J.M. & W. Pretorius. 1998. Crustal xenoliths in Venetia kimberlite pipes indicate a decollement at ~10 km beneath the Central Zone of the Limpopo Belt, South Africa. South African Journal of Geology 101(4), 323-327

Brandl, G. 2002. Geology of the Alldays Area. Explanation: Sheet 2228 Scale: 1:250 000 Council for Geoscience 71 pages

Brio Prospecting and Mining Company, 1980. 1:20 000 Map of Gotha Area, Plan No. BM 119

Bordy, E.M. and Catuneanu, O., 2002, Sedimentology of the Beaufort-Molteno Karoo fluvial strata in the Tuli Basin, South Africa. South African Journal of Geology, v. 105, 51-66

Boryta, M. and Condie, K.C. 1990. Geochemistry and origin of the Archaean Beit Brice complex, Limpopo Belt, South Africa. Journal of the Geological Society, London. V. 147, 229-239.

Chappell, B.W, and White, A.J.R., 1974, Two Contrasting Granite Types. Pacific Geology, v. 8 173-174

Council for Geoscience (CGS), 2002, Radiogenic Map of South Africa, Digital Data per hand from Henk Coetzee.

Deer, W.A., Howie, R.A. and Zussman, J. 1993. An Introduction to the Rock Forming Minerals (2nd Edition). Longman Scientific and Technical. 696 pages

De la Roche, H, Leterrier, J., Grande Claud, p. And Marchal, M., 1980, A classification of volcanic and plutonic rocks using R1-R2 diagrams and major element analyses – its relationship and current nomenclature. Chemical Geology, v. 29, 183-210.

Doorgapershad, A., Barnett, M., Twiggs, C., Martin, J., Mellonig, L., Zenglein, R., Klemd, R., Barnett, W.P. and Barton, J.M. Jr., 2003, Procedures used to produce a digitized

geological mapping database of the area around the Venetia kimberlite pipes, Limpopo Belt, South Africa, *South African Journal of Geology*, Vol 106(2/3) pp. 103-108

Eriksson, K.A., Kidd, W.S.F. and Krapez, B. 1988. Basin Analysis in Early Archean Terrains. In: Kleinspehn, K.L. and Paola, C. (eds) *New Perspectives in Basin Analysis*. Springer-Verlag. pp. 371-404

Hollocher, K., CIPW Norm Calculations Program norm3.xls, Geology Department Union College, <http://www.union.edu/public/geodept/courses/petrology/programs/norm3.xls>.

Holzer, L., Barton, J.M., Paya, B.K. and Kramers, J.D., 1999, Tectonothermal history of the western part of the Limpopo Belt: tectonic models and new perspectives. *Journal of African Earth Sciences*, Vol. 28(2) pp. 383-402

Johannsen, A., 1931, The C.I.P.W. Classification. In: *A Descriptive Petrography of the Igneous Rocks*, University of Chicago Press, U.S.A., v. 1, 83-99.

Klemd, R., 1987, A Mineralogical and Mineralchemical Investigation of Archaean Granites Bordering the Witwatersrand Basin. PhD thesis, Rand Afrikaans University, Johannesburg, South Africa, 263 pp.

Kramers, J.D., Kreissig, K. and Jones, M.Q.W., 2001, Crustal heat production and style of metamorphism: A comparison between two Archean high grade provinces in the Limpopo Belt, Southern Africa. *Precambrian Research*, 112, 149-163

Le Maitre, R. W., 2002, *Igneous Rocks, A Classification and Glossary of Terms*, 2nd Edition, Cambridge University Press, 236 pp.

Martin, J., 2002, Geological and mineralogical investigations on an area adjacent to the Venetia kimberlite pipes, South Africa, Unpublished Diploma thesis, University of Wuerzburg, Germany, 132 pp.

Mellonig, L., 2004, Geological map of an area adjacent to the Venetia Diamond Mine, Limpopo Province, South Africa, Unpublished Diploma thesis, University of Wuerzburg, Germany, 49 pp.

Nesbitt, H.W. and Young, G.M., 1989, Formation and Diagenesis of Weathering Profiles. *Journal of Geology*, v. 97, pp. 129-147

O'Connor, J.T., 1965, A classification for quartz-rich igneous rock based on feldspar ratios. United States Geological Survey Professional Paper, 525B, B79-B84.

Parrish, S.L. 1989, Country rock mapping around kimberlites K1 and K2 on the farm Venetia 103MS Northern Transvaal, Republic of South Africa. Unpublished M.Sc. (Mining Geology) Report, Camborne School of Mines, Cornwall, United Kingdom. 40 pp.

Pearce, T.H., 1968, A contribution to the theory of variation diagrams. *Contributions to Mineralogy and Petrology*, v. 19, 142-157.

Pearce, J.A., Harris, N.B.W. and Tindle, A.G., 1984, Trace Element Discrimination Diagrams for the Tectonic Interpretation of Granitic Rocks. *Journal of Petrology* Vol 25, 956-983

Pretorius, S.J., 1986, Die geologie in die omgewing van Swartwater en de westlike deel van dis distrik Messina in die sentrale sone van die Limpopo-gordel. Unpublished MSc thesis, Rand Akrikaans Universiyt, Johannesburg, South Africa, 184 pp.

Pretorius, S.J., 1992, Die litologie, struktuur en metamorfose van die Kompleks Beitbrug wes van Messina en oos van Swartwater. *Bulletin of the Geological Survey of South Africa*, 105, 40 pp.

Rollinson, H.R., 1993, *Using Geochemical Data: Evaluation, Presentation, Interpretation*. Longman Group UK Limited. 352 pages

Shand, S. J., 1927, *Eruptive Rocks*, Murby, London, U.K., 360 pp.

Streckeisen, A., 1973, Plutonic rocks. Classification and nomenclature recommended by the IUGS Subcommittee on the Systematics of Igneous Rocks, *Geotimes*, v. 18(10), 26-30.

Streckeisen, A., 1978, IUGA Subcommittee on the Systematics of Igneous Rocks. Classification and nomenclature of volcanic rocks, lamprophyres, carbonatites and melilitite rocks. Recommendations and suggestions, *Neues Jahrbuch für Mineralogie*, v. 143, 1-14.

Sun, S. and McDonough, W.F., 1989, Chemical and isotopic systematics of oceanic basalts: implications for mantle composition and processes. From Saunders, A.D. and Norry, M.J. (eds), 1989, *Magmatism in the Ocean Basins*, Geological Society Special Publication No 42, pp. 313-345

Taylor, S.R. and McLennan, S.M., 1985, *The Continental Crust: Its Composition and Evolution*. Blackwell Scientific Publications, 312 pages.

Tshunogae, T. and Yurimoto, H., 1995, Single zircon U-Pb geochronology of the Limpopo Belt by secondary ion mass spectrometry, *Geochemical Journal* Vol 29(3) pp 197-205.

Twiggs, C., 2004, The tectonic evolution of the rocks comprising the Venetia klippe, Limpopo Belt, South Africa, with emphasis on carbonate and calc-silicate rocks and pegmatite, Unpublished MSc thesis, Rand Afrikaans University, Johannesburg, South Africa, 128 pp.

Watkeys, M.K. 1981, Reconnaissance geology of the farms Gotha 673 and Koningsmark 707, Northern Transvaal.

Wilson, M., 1989, *Igneous petrogenesis: A Global Tectonic Approach*, Kluwer Academic Publishers, 496 pp

Zenglein, R., 2004, Geological and mineralogical investigations on an area north of the Venetia Diamond Mine (South Africa), Unpublished Diploma thesis, University of Wuerzburg, Germany, 157 pp



Publications Consulted But Not Referenced

Barton, J.M. Jr., Ryan, B. and Fripp, R.E.P. 1983, Rb-Sr and U-Th-Pb Isotopic Studies of the Sand River Gneisses, Central Zone, Limpopo Mobile Belt. Spec. Publ. geol. Soc. S. Afr., 8, pp. 9-18

Batchelor, R.A. and Bowden, P., 1985, Petrogenetic Interpretation of Granitoid Rock Series using Multicationic Parameters. Chemical Geology Vol 48 pp. 43-55

Clarke, D.B. 1992. Granitoid Rocks. Topics in the Earth Sciences. No 7, 283 pp.

Clemens, J.D., 2003, S-type granitic magmas – petrogenetic issues, models and evidence. Earth-Science Reviews, v. 61, 1-18.

Cross, W., Iddings, J. P., Pirsson, L. V., and Washington, H. S., 1902, A quantitative chemicominalogical classification and nomenclature of igneous rocks. Journal of Geology, v. 10, 555-690.

Holzer, L., Frei, R., Barton Jr., J.M. and Kramers, J.D., 1998, Unraveling the Record of Successive High Grade Events in the Central Zone of the Limpopo Belt Using Pb Single Phase Dating of Metamorphic Minerals. Precambrian Research, 87, 87-115

Kröner, A., Jaeckel, P., Hofmann, A., Nemchin, A.A. and Brandl, G., 1998, Field relationships and age of supracrustal Beit Bridge Complex and associated granitoid gneisses in the Central Zone of the Limpopo Belt, South Africa. South African Journal of Geology. Vol 101(3) pp. 201-213

Luth, W. C., Jahns, R. H. and Tuttle, O. F., 1964, The granite system at pressures of 4 to 10 kilobars, Journal of Geophysical Research, v. 69, 759-773.

Maniar, P.D. and Piccoli, P.M., 1989, Tectonic Discrimination of Granitoids. Geological Society of America Bulletin Vol 101 pp. 635-643

Philpotts, A R., 1990, Principles of igneous and metamorphic petrology, Prentice Hall, U.S.A., 498 pp.

Rogers, J.J.W. and Greenberg, J.K., 1990, Late-orogenic, post-orogenic, and anorogenic granites: distinction by major-element and trace-element chemistry and possible origins. The Journal of Geology, v. 98, 291-309.

Rollinson, H.R., 1993, A terrane interpretation of the Archaean Limpopo Belt. Geol. Mag. No. 130(6) pp. 755-765

Rollinson, H. and Blenkinsop, T., 1995, The Magmatic, Metamorphic and Tectonic evolution of the Northern Marginal Zone of the Limpopo Belt in Zimbabwe. Journal of the Geological Society, London. Vol 152 pp. 65-75.

Schmidt, A., 1997, Rekonstruktion des P-T Pfades von Kalksilikaten und Metapeliten der Central Zone des Limpopo Belts, Südafrika, Unpublished Diploma thesis, University of Bremen, Germany, 108 pp.

Tuttle, O. F. and Bowen, N. L., 1958, Origin of granite in the light of experimental studies in the system $\text{NaAlSi}_3\text{O}_8\text{-KAlSi}_3\text{O}_8\text{-SiO}_2\text{-H}_2\text{O}$, Memoir of the Geological Society of America, v. 74, 153 pp.

Watkeys, M.K., Light, M.P.R., and Broderick, T.J. 1983, A Retrospective view of the Central Zone of the Limpopo Belt, Zimbabwe. Spec. Publ. geol. Soc. S. Afr., 8 pp. 65-80

Winchester, J.A. and Floyd, P.A., 1977, Geochemical Discrimination of Different Magma Series and their Differentiation Products using Immobile Elements. Chemical Geology Vol 20 pp. 325-343

Wood, D.A., 1980, The Application of a Th-Hf-Ra Diagram to Problems of Tectonomagmatic Classification and to Establishing the Nature of Crustal Contamination of Basaltic Lavas of the British Tertiary Volcanic Province. Earth and Planetary Science Letters Vol 50 pp. 11-30

Zeh, A., Klemd, R., Buhlman, S and Barton, J. M., 2004, Pro- and retrograde P-T evolution of granulites of the Beit Bridge Complex (Limpopo Belt, South Africa): constraints from quantitative phase diagrams and geotectonic implications, Journal of Metamorphic Geology, v. 22, 79-95.

