

## 10 REFERENCES

- Allsopp, H.L. (1965). Rb-Sr and K-Ar age measurements on the Great Dyke of southern Rhodesia. *Jour. Geophys. Research*, **70**, 977-984.
- Andreoli, M.A.G., Coetzee, H., Hart, R., Ashwal, L.D., Huizenga, J.-M., Smit, A., Brandl, G. and Grantham, G. (2003). The erlank paradox: high-U granulites, low-U Amphibolite facies gneisses in the Mobile Belts of Southern Africa. *Abstract volume*.
- Armstrong, R.A. and Wilson, A.H. (2000). A SHRIMP U-Pb study of zircons from the layered sequence of the Great Dyke, Zimbabwe and a granitoid anatectic dyke. *Earth Planet Sci Lett.*, **279**, 1108-1134.
- Bahnemann, K.P. (1972). A review of the structure, the stratigraphy and the metamorphism of the basement rocks of the Messina District, Northern Transvaal. *D.Sc thesis, Univ. Pretoria, Pretoria, South Africa*.
- Bahnemann, K.P. (1973). The origin of the Singelele Granite gneiss near Messina, northern Transvaal. In: Lister, L.A. (Ed.), *Symposium on Granites, Gneisses and Related Rocks, Spec. Publ. Geol. Soc. S. Afr.*, **3**, 235-244.
- Barton, J.M., Jr. (1983). Pb-isotopic evidence for the age of the Messina Layered Intrusion, central zone, Limpopo mobile belt. *Geol. Soc. S. Afr. Spec. Publ.*, **8**, 39-41.
- Barton, J.M., Jr. (1996). The Messina layered intrusion, Limpopo belt, South Africa: an example of in-situ contamination of an Archean anorthosite complex by continental crust. *Precambrian Res.*, **78**, 139-150.
- Barton, J.M., Jr., Fripp, R.E.P., Horrocks, P. and McLean, N. (1979). The geology, age, and tectonic setting of the messina Layered Intrusion, Limpopo mobile belt, southern Africa. *Am. J. Sci.*, **279**, 1108-1134.
- Barton, J.M., Jr., & Key, R.M. (1981). The tectonic development of the Limpopo Mobile Belt, and the evolution of the Archaean cratons of southern Africa, 185-212. In: Kröner, A., Ed., *Precambrian Plate Tectonics*. Elsevier, Amsterdam.
- Barton, J.M., Jr. and Key, R.M. (1983). Rb-Sr ages and geological setting of certain rock units from the central zone of the Limpopo mobile belt, near Zanzibar, eastern Botswana. *Geol. Soc. S. Afr. Spec. Publ.*, **8**, 19-25.

- Barton, J.M., Jr., Du Toit, M.C., Van Reenen, D.D. & Ryan, B. (1983). Geochronologic studies in the southern marginal zone of the Limpopo mobile belt, southern Africa. In: Van Biljon, W.J. & Legg, J.G. (Eds.). The Limpopo Mobile Belt. *Geol. Soc. S. Afr. Spec. Publ.*, **8**, 55-64.
- Barton, J.M., Jr., van Reenen, D.D., & Roering, C. (1990). The significance of 3000 Ma granulite-facies mafic dikes in the central zone of the Limpopo belt, southern Africa. *Precambrian Res.*, **48**, 299-308.
- Barton, J.M., Jr. and van Reenen, D.D. (1992 a). The significance of RB-Sr ages of biotite and phlogopite for the thermal history of the Central and SMZs of the Limpopo Belt of southern Africa and the adjacent portions of the KVC. *Precambrian Research*, **55** (1-4), 17-31.
- Barton, J.M., Jr. and Van Reenen, D.D. (1992 b). When was the Limpopo Orogeny? *Precambrian Res.*, **55**, 7-16.
- Barton, J.M., Jr., Doig, R., Smith, C. B., Bohlender, F. and Van Reenen, D.D. (1992). Isotopic and REE characteristics of the intrusive charnoenderbite and enderbite geographically associated with the Matok Complex. *Prec. Res.*, **55**, 451-467.
- Barton, J.M., Jr., Holzer, L., Kamber, B., Doig, R., Kramers, J.D. & Nyfeler, D. (1994). Discrete metamorphic events in the Limpopo belt, southern Africa: Implications for the application of P-T paths in complex metamorphic terrains. *Geology*, **22**, 1035-1038.
- Barton, J.M., Doig, R., Smith, C.C. (1995). Age, origin, and tectonic significance of the Entabeni granite, northern Transvaal, South Africa. *S.Afr.J.Geol.*, **98**, 326-330.
- Barton, J.M., Jr., Barton, E.S., Smith, C.B. (1996). Petrography, age and origin of the Shield alkaline complex, northern Transvaal, South Africa. *J. Afr. Earth Sci.*, **22**, 133-145.
- Barton, J.M., Jr. and Sergeev, S. (1997). High precision, U-Pb analyses of single grains of zircon from quartzite in the Beit Bridge Group yield a discordia. *S. Afr. J. Geol.*, **100**, 37-42.
- Berger, M., Kramers, J.D., Nagler, T.F. (1995). Geochemistry and geochronology of charnoenderbites in the Northern Marginal Zone of the Limpopo Belt, Southern Africa, and genetic models. *Schwied. Mineral. Petrogr. Mitt.* **75**, 17-42.
- Blenkinsop, T.T., Rollinson, H., Fedo, C., Paya, B.K., Kamber, B. (1995). The North Limpopo Thrust Zone (NLTZ): the northern boundary of the Limpopo Belt in Zimbabwe

- and Botswana. *Centennial Geocongress of the Geological Society of South Africa. Johannesburg*, 174-177.
- Blenkinsop, T.G. & Frei, R. (1997). Dating the intrusion of the Razi Granites, Zimbabwe: Tectonic implications for the Northern Marginal Zone of the Limpopo Belt and the Zimbabwe Craton, Intraplate Magmatism and Tectonics of Southern Africa. *Geol. Soc. Of Zimb., Harare*, p.4.
- Boryta, M. and Condie, K.C. (1990). Geochemistry and origin of the Archaean Beit Bridge complex, Limpopo belt, South Africa. *J. geol. Soc.*, **147**, 229-239.
- Brandl, G. (1983). Geology and geochemistry of various supracrustal rocks of the Beit Bridge Complex east of Messina. In: Van Biljon, W.J. and Legg, J.G. (Eds.). The Limpopo Mobile Belt. *Spec. Publ. geol. Soc. S. Afr.*, **8**, 103-112.
- Brandl, G. (1990). Geological setting, petrography and geochemistry of the Alldays Gneiss and associated mafic dykes, Limpopo belt, South Africa. In: Barton, J.M., Jr. (Ed.), *The Limpopo Belt: A Field Workshop on Granulites and Deep Crustal Tectonics*. Ext. abstr. Dept. Geol., Rand Afrikaans University, Johannesburg, 22-25.
- Brandl, G. (1992). Geological map of the Limpopo belt and its environs 1:500 000. Contribution to a field workshop on granulites and deep crustal tectonics, *Geol. Surv. South Africa, Pretoria*.
- Broekhuizen, A. and McCourt, S. (1995). Structural evolution of the Koedoesrand hills and surrounding area, North-West Transvaal, South Africa. *Centennial Geocongress of the Geological Society of South Africa. Johannesburg*. p.280.
- Buick, I.S., Williams, I.S., Gibson, R.L., Cartwright, I. and Miller, J.A. (2003). Carbon and U-Pb evidence for a Palaeoproterozoic crustal component in the Central Zone of the Limpopo Belt, South Africa. *J. Geol. Soc. London*, **160**, 601-612.
- Chavagnac, V., Kramers, J.D., Nägler, T.F. and Holzer, L. (2001). The behaviour of Nd and Pb isotopes during 2.0 Ga migmatization in paragneisses of the Central Zone of the Limpopo Belt (South Africa and Botswana). *Precambrian Res.*, **112** (1-2), 51-86.
- Coward, M.P. (1976). Archaean deformation patterns in southern Africa. *Phil. Trans. R. Soc. Lond.*, **A283**, 313-331.
- Coward, M.P., Graham, R.H., James, P.R. & Wakefield, J. (1976). Northern margin of the Limpopo mobile belt, southern Africa. *Geol. Soc. Am. Bull.*, **87**, 601-611.

- De Beer, J.H. and Stettler, E.H. (1992). The deep structure of the Limpopo Belt. *Precamb. Res.*, **55**, 173-186.
- De Wit, M.J., Van Reenen, D.D and Roering, C. (1992a). Geologic observations across a tectono-metamorphic boundary in the Babangu area, Giyani (Sutherland) Greenstone Belt, South Africa. *Precambrian Research*, **55**, 111-122.
- De Wit, M.J., Jones, M.G. and Buchanan, D.L. (1992b). The geology and tectonic evolution of the Pietersburg greenstone belt, South Africa. *Precambrian Research*, **55**, 123-153
- Droop, G.T.R. (1989). Reaction history of garnet-sapphirine granulites and conditions of Archaean high-pressure granulite -facies metamorphism in the central Limpopo mobile belt, Zimbabwe. *J. metamorphic Geol.*, **7**, 383-403.
- Du Toit, M.C., van Reenen, D.D., Roering, C. (1983) Some aspects of the geology, structure and metamorphism of the Southern Marginal Zone of the Limpopo Metamorphic Complex. *Spec. Publ. Geol. Soc. S. Afr.* **8**, 89-102.
- Eriksson, K.A., Kidd, W.S. and Krapez, B. (1988). Basin analysis in regionally metamorphosed and deformed early Archaean terrains: examples from southern Africa and Western Australia. In: Kleinspehn, K.L. and Paola, C. (Eds.), *Frontiers in Sedimentary Geology, New Perspectives in Basin Analysis*. Springer-Verlag, New York, 371-404.
- Ermavonics, I.F. (1980). The geology of the Mokgware hills area. *Geol. Surv. Botswana. Bull.*, **13**, 86p.
- Feldtmann, F. (1996). The structural-metamorphic evolution of the marble and calc-silicate rocks of the Baklykraal quarry near Alldays, Central Zone, Limpopo Belt, South Africa. *Unpubl. M.Sc. thesis, Rand Afrikaans University, Johannesburg*, 132p.
- Frei, R. and Kamber, B.S. (1995). Single mineral Pb–Pb dating. *Earth Planet. Sci. Lett.* **129**, pp. 261–268.
- Frei, R., Villa, I.M., Nagler, F., Kramers, J.D., Przyblylowicz, W.J., Prozesky, V.M., Hofmann, B.A. and Kamber, B.S. (1997). Single mineral dating by the Pb-Pb step-leaching method: assessing the mechanism. *Goechim. et Cosmochim. Acta.*, **61**, 393-414.
- Frei, R., Nagler, F., Schonberg, R. and Kramers, J.D. (1998a). Re–Os, Sm–Nd, U–Pb, and stepwise lead leaching isotope systematics in shear-zone hosted gold mineralization:

- genetic tracing and age constraints of crustal hydrothermal activity. *Geochim. Cosmochim. Acta* **62** 11 (1998), pp. 1925–1936.
- Frei, R., Bridgwater, D., Rosing, M., and Stecher, O. (1998b). Controversial Pb-Pb and Sm-Nd isotope results in the early Archean Isua (West Greenland) oxide iron formation: preservation of primary signatures versus secondary disturbances. *Geochimica et Cosmochimica Acta*, **63** (3-4), 473-488.
- Frei, R., Blenkinsop, T.G. and Schönberg, R. (1999). Geochronology and late Archean Razi and Chilimanzi suite of granites in Zimbabwe: Implications for the alte Archean tectonics of the Limpopo Belt and Zimbabwe Craton. *S. Afr. J. Geol.*, **102**, 55-63.
- Fripp, R.E.P. (1981). The ancient Sand river gneisses, Limpopo mobile belt, South Africa. *Geol. Soc. Australia. Spec. Publ.*, **7**, 329-335.
- Fripp, R.E.P. (1982). The Precambrian geology of the area around the Sand River near Messina, northern Transvaal. *Ph.D. thesis (unpubl.)*, Univ. Witwatersrand, Johannesburg, 251pp.
- Fripp, R.E.P. (1983). The Precambrian geology of the area around the Sand River near Messina, Central Zone, Limpopo Mobile Belt. *Special Publication of the Geological Society of South Africa*, **8**, 89-102.
- Fripp, R.E.P., Lilly, P.A. and Barton, J.M., Jr., (1979). The structure and origin of the Singelele Gneiss, Limpopo mobile belt, South Africa. *Trans. Geol. Soc. S. Afr.*, **82**, 161-167.
- Frost, B.R. & Chacko, T. (1989). The granulite uncertainty principle: limitations on thermobarometry in granulites. *Journal of Geology*, **97**, 435-450.
- Gerya, T.V. (1999). *P-T paths and evolution granulite facies terrains*. Doctor of Science Dissertation. Moscow State University. 453 p. (*in Russian*).
- Gerya, T. V. & Perchuk, L. L. (1997). Equations of state of compressed gasses for thermodynamic databases used in petrology. *Petrology* **5**, 366-380.
- Gerya, T. V., Perchuk, L. L., Van Reenen, D. D. & Smit, C. A. (2000). Two-dimensional numerical modeling of pressure-temperature-time paths for the exhumation of some granulite facies terrains in the Precambrian. *Journal of Geodynamics* **30**, 17-35.

- Gerya, T.V., Perchuk, L.L., Maresch, W.V., Willner, A.P., Van Reenen, D.D., Smit, C.A. (2002). Thermal regime and gravitational instability of multi-layered continental crust: implications for the buoyant exhumation of high-grade metamorphic rocks // *European Journal of Mineralogy* 14, 687-699.
- Harris, N.B.W. and Holland, T.J.B. (1984). The significance of cordierite -hypersthene assemblages from the Beitbridge region of the central Limpopo belt; evidence for rapid decompression in the Archaean? *Am. Miner.*, **69**, 1036-1049.
- Hawkesworth, C.J., Moorbath, S., O'Nions, R.K., and Wilson, J.F. (1975). Age relationships between greenstone belts and 'granites' in the Rhodesian Archaean craton. *Earth and Planetary Sci. Letters*, v.**25**, 251-262.
- Hisada, K. and Miyano, T. (1996). Petrology and microthermometry of aluminous rocks in the Botswana Limpopo Central Zone, evidence for isothermal decompression and isobaric cooling. *J. Metam. Geol.*, **14**, 183-197.
- Hisada, K., Miyano, T. And Van Reenen, D.D. (1994). Fluid inclusion study on gedrite formation in metapelites near Maratele in the Limpopo Central Zone, eastern Botswana. *Science Reports, Institute of Geoscience, University of Tsukuba*, **15**, 1-7.
- Hofmann, A., Kröner, A. and Brandl, G. (1998). Field relationships of mid- to late Archaean high-grade gneisses of igneous and sedimentary parentage in the Sand River, Central Zone of the Limpopo Belt, South Africa. *South African Journal of Geology*, **101**, 185-200.
- Holzer, L. (1995). The magmatic petrology of the Bulai Pluton and the tectono-metamorphic overprint at 2.0 Ga in the central zone of the Limpopo belt (Messina-Beitbridge area. southern Africa). *Diploma thesis, University of Berne, Switzerland*.
- Holzer, L. (1998). The transpressive Orogeny at 2 Ga in the Limpopo Belt, South Africa. *Unpublished Ph.D Thesis, University of Bern, Switzerland*, 202 pp.
- Holzer, L., Kamber, B.S., Kramers, J.D. & Frei, R. (1995). The tectono-metamorphic event at 2 Ga in the Limpopo Belt and the resetting behavior of chronometers at high temperature. *Communs. geol. Surv. Namibia*, **10**, 129-140.
- Holzer, L., Frei, R., Barton, J.M., Jr. and Kramers, J.D. (1998). Unraveling the record of successive high grade events in the Central zone of the Limpopo belt using Pb single phase dating of metamorphic minerals. *Precambrian Res.*, **87**, 87-115.

- Holzer, L., Barton, J.M., Paya, B.K. and Kramers, J.D. (1999). Tectonothermal history of the western part of the Limpopo Belt: tectonic models and new perspectives. *Journal of African Earth Sciences*, vol.28, **2**, 383-402.
- Homes, A. & Cahen, L. (1957). Geochronologie africains 1956, resultants acquis au 1er juillet 1956. *Mem. Acad. R. Sci. Colon. Belg.*, 1-169.
- Hor, A.K., Hutt, D.K., Smith, J.V., Wakefield, J. and Windley, B.F. (1975). Petrochemistry and mineralogy of early Precambrian anorthositic rocks of the Limpopo mobile belt, Southern Africa. *Lithos*, **8**, 297-310.
- Horrocks, P.C. (1980). Ancient Archaean supracrustal rocks from the Limpopo Mobile Belt. *Nature*, **286**, 596-599.
- Horrocks, P.C. (1983). The Precambrian geology of an area between Messina and Tshipise, Limpopo mobile belt. In: Van Biljon, W.J. and Legg, J.H. (Eds.) The Limpopo Mobile Belt. *Geol. Soc. S. Afr. Spec. Publ.*, **8**, 81-88.
- Jaekel, P., Kröner, A., Kamo, S.L., Brandl, G. & Wendt, J.I., (1997). Late Archaean to Early Proterozoic granitoid magmatism and high grade metamorphism in the central Limpopo belt, South Africa. *J. Geol. Soc. London*, **154**, 25-44.
- Kamber, B.S., Biino, G.G. (1995). The evolution of high T-low-granulites in the Northern Marginal Zone sensu stricto, Limpopo Belt, Zimbabwe – the case for petrography. *Schweizer Mineralogisch Petrographische Mitteilungen*, **75**, 427-454.
- Kamber, B.S., Kramers, J.D., Napier, R., Cliff, R.A. and Rollinson, H.R. (1995a). The Triangle Shearzone, Zimbabwe, revisited: new data document an important event at 2.0 Ga in the Limpopo Belt. *Precambrian Res.*, **70**, 191-213.
- Kamber, B.S., Blenkinsop, T.G., Villa, I.M., Dahl, P.S. (1995b). Proterozoic strike-slip deformation and uplift of the Central Zone, Limpopo Belt, Zimbabwe. *J. Geol.*, **103**, 493-508.
- Kamber, B.S., Biino, G.G., Wijbrans, J.R., Davies, G.R. and Villa, I.M. (1996). Archean granulites of the Limpopo Belt, Zimbabwe: One slow exhumation or two rapid events? *Tectonics*, **15**, 1414-1430.
- Kamber, B.S., Frei, R. and Gibb, A.J. (1998). Pitfalls and new approaches in granulite chronometry an example from the Limpopo Belt, Zimbabwe. *Precambrian Res.* **91** 3/4 (1998), pp. 269–285.



- Key, R.M. (1977). The geological history of the Limpopo mobile belt based on the field mapping of the Botswana Geological Survey. In: Ermanovics, I.F., Key, R.M. (Eds.), The Proceedings of a Seminar Pertaining to the Limpopo Mobile Belt, *Geol. Survey Dept. Bull.*, **12**, 41-60.
- Key, R.M. (1979). Quarter degree sheet 2228C (Zanzibar), with brief explanation. Scale 1:125 000. *Geol. Surv. Botswana*.
- Kramers, J.D., Kreissig, K., Jones, J.Q.W. (2001). Crustal heat production and style of metamorphism: a comparison between two Archaean high grade provinces in the Limpopo Belt, southern Africa. *Precambrian Res.*, **112**, 149-163.
- Kreissig, K. and Holzer, L. (1997). The Kaapvaal Craton-Southern Marginal Zone (Limpopo Belt) connection; implications from geochronological data, Pb-isotopes and REE-patterns. *Terra nova, abstract supplement 1, EUG 9, Strasbourg*, 364 pp.
- Kreissig, K., Holzer, L., Frei, I.M., Kramers, J.D., Kröner, A., Smit, C.A. and Van Reenen, D.D. (2000). Geochronology of the Hour River Shear Zone and the metamorphism in the Southern Marginal Zone of the Limpopo belt, Southern Africa. *Precambrian Research*, **109**, 145-173.
- Kreissig, K., Holzer, L., Frei, I.M., Kramers, J.D., Kröner, A., Smit, C.A. and Van Reenen, D.D. (2001). Geochronology of the Hout River Shear Zone and the metamorphism in the Southern Marginal Zone of the Limpopo Belt, Southern Africa. *S. Afr. J. Geol.*, **101**, 201-213.
- Kröner, A., Kehelpannala, K.V.W. and Kreigsman, L.M. (1994). Origin of compositional layering and mechanism of crustal thickening in the high-grade gneiss terrain of Sri Lanka. *Precambrian Res.*, **66**, 151-182.
- Kröner, A., Jaeckel, P., Hofmann, A., Nemchin, A.A., Brandl, G. (1998). Field relationships and age of supracrustal Beit Bridge Complex and associated granitoid gneisses in the Central Zone of the Limpopo Belt, South Africa. *S. Afr. J. Geol.*, **101** (3), 201-213.
- Kröner, a., Jaeckel, Pl, Brandl, G., Nemchin, A.A. and Pidgeon, R.T. (1999). Single zircon ages for granitoid gneisses in the Central Zone of the Limpopo belt, southern Africa and geodynamic significance. *Precambrian Res.*, **93**, 299-337.
- Light, M.P.R. (1982). The Limpopo Mobile Belt: A result of continental collision. *Tectonics*, **1**, 325-342.



- Light, M.P.R. and Watkeys, M.K. (1977). A preliminary report on the Central Zone of the Limpopo mobile belt, Rhodesia. *Bull. Geol. Surv. Botswana*, **12**, 61-73.
- Ludwig, K.R. (1999). Isoplot/Ex version 2.00: A Geochronological Toolkit for Microsoft Excel. *Berkeley Geochronology Center Special Publication No. 1a*, 46pp.
- Ludwig, K.R. (2000). SQUID 1.00, A User's Manual; *Berkeley Geochronology Center Spec. Publ. 2*, Berkeley, California, 17 pp.
- McCarthy, T.S. (1977). Geochemical studies of selected granitic terrains in South Africa. *Ph.D thesis University Witwatersrand (unpubl.)*.
- McCourt, S. (1983). Archaean lithologies of the Koedoesrand area, North-west Transvaal, South Africa. In: Van Biljon, W.G. and Legg, J.H. (Eds.) *The Limpopo Mobile Belt. Geol. Soc. S. Afr. Spec. Publ.*, **8**, 113-119.
- McCourt, S. & Vearncombe, J.R. (1987). Shear zones bounding the central zone of Limpopo mobile belt, southern Africa. *Journal of structural Geology*, **9**, 127-137.
- McCourt, S. & Vearncombe, J.R. (1992). Shear zones of the Limpopo Belt and adjacent granitoids-greenstone terranes: Implications for late Archaean collision tectonics in southern Africa. *Precambrian Research*, **55**, 553-570.
- McCourt, S., van Reenen, D.D., Roering, D. & Smit, C.A. (1995). Geological constraints on the Limpopo Orogeny. *Ext. Abstr. Centennial Geocongress '95*, I, 185-188.
- McCourt, S. & Armstrong, R.A. (1998). SHRIMP U-Pb zircon geochronology of granites from the Central Zone, Limpopo Belt, southern Africa: Implications for the age of the Limpopo Orogeny. *South African Journal of Geology*, **101** (4), 329-338.
- Miyano, T., Ogata, H., Van Reenen, D.D., Van Schalkwyk, J.F. and Arakawa, Y. (1992). Peak metamorphic conditions of sapphirine-bearing rocks in the Rhenosterkoppies Greenstone Belt, northern Kaapvaal Craton, South Africa. In: Glover, J.C. and Ho, S.E. (eds.). *The Archaean: Terranes, Processes, and Metallogeny, Univ. West. Australia Pub.*, **22**, 73-87.
- Mkweli, S., Kamber, B. and Berger, M. (1995). Westward Continuation of the Craton-Limpopo Belt tectonic Break in Zimbabwe and new age constraints on the timing of the thrusting. *J. geol. Soc. London*, **152**, 77-83.

- Myers, J.S. (1978). Formation of banded gneisses by deformation of igneous rocks. *Precambrian Res.*, **6**, 43-64.
- Oberthür, T., Davis, D.W., Blenkinsop, T.G. and Höhndorf, A. (2002). Precise U-Pb mineral ages, Rb-Sr and Sm-Nd systematics for the Great Dyke, Zimbabwe – constraints on late Archean events in the Zimbabwe craton and Limpopo belt. *Precambrian Res.*, **113**, 293-305.
- Paces, J.B. and Miller, J.D. (1989). Precise U-Pb ages of Duluth Complex and related mafic intrusions, Northeastern Minnesota: Geochronological insights to physical, petrogenic, paleomagnetic and tectonomagmatic processes associated with the 1.1 Ga mid-continent rift system. *J. Geophys. Res.*, **98B**, 13997-14013.
- Passchier, C.W., Trouw, R.A.J. (1995). *Microtectonics*. Springer-Verlag, Berlin, 289 pp.
- Passchier, C.W., Myers, J.S. and Kröner, A. (1990). *Field Geology of High grade Gneiss Terrains*. Springer-Verlag, Berlin, 150 pp.
- Perchuk, L. L. (1987). The course of metamorphism. *International Geology Review* **28**, 1377-1400.
- Perchuk L.L. (1989). P-T-fluid regimes of metamorphism and related magmatism with specific reference to the Baikal Lake granulites. In: Daly, S., Yardley, D.W.D. & Cliff, B. (eds). *Evolution of Metamorphic belts*. Geological Society of London: Special Publication **42** (20), 275-291.
- Perchuk, L. L., Aranovich, L. Ya., Podlesskii, K. K., Lavrent'eva, I. V., Gerasimov, V. Yu., Fed'kin, V. V., Kitsul, V. N. & Karsakov, L. P. (1985). Precambrian granulites of the Aldan shield, eastern Siberia, USSR. *Journal of Metamorphic Geology* **3**, 265-310.
- Perchuk, L.L., Gerya, T.V. & Nozhkin, A.D. (1989), Petrology and retrogression in granulites of the Kanskiy Formation, Yenisey Range, Eastern Siberia. *Journal of Metamorphic Geology* **7**, 599-617.
- Perchuk, L.L., Gerya, T.V., Van Reenen, D.D., Safanov, O.G. and Smit, C.A. (1996). The Limpopo metamorphic complex, South Africa: 2 Decompression/cooling regimes of granulites and adjacent rocks of the Kaapvaal Craton. *Petrology*, **4(6)**, 571-599.
- Perchuk, L. L., Gerya, T. V., van Reenen, D. D., Krotov, A. V., Safonov, O. G., Smit, C. A. & Shur, M. Yu. (2000). Comparative petrology and metamorphic evolution of the

- Limpopo (South Africa) and Lapland (Fennoscandia) high-grade terrains. *Mineralogy and Petrology* **69**, 69-107.
- Pienaar, J.C. (1985). Die geologie van die Alldays omgewing in noord Transvaal. *M.Sc. thesis (unpubl.)*, Rand Afrikaans University, Johannesburg, 158p.
- Pretorius, S.J. (1986). Die geologie in die omgewing van Swartwater en die westelike deel van die distrik Messina in die sentrale sone van die Limpopo-gordel. *M.Sc thesis (unpubl.)*, Rand Afrikaans University, Johannesburg, 184p.
- Pretorius, S.J. (1992). Die Litologie, struktuur and metamorfose van die kompleks Beitbrug wes van Messina en oos van Swartwater, *Bulletin*, **105**, 39pp.
- Retief, E.A., Compston, E.A., Armstrong, R.A. & Williams, I.S. (1990). Characteristics and preliminary U-Pb ages of zircons from Limpopo lithologies. *Abstract Volume, Limpopo Workshop*, Rand Afrikaans University, Johannesburg .
- Ridley, J. (1992). On the origins and tectonic significance of the charnockite suite of the Archaean Limpopo Belt, Northern Marginal Zone, Zimbabwe. *Precambrian Research*, **55**, 407-427.
- Ridley, J. (1992). On the origins and tectonic significance of the charnockite suite of the Archaean Limpopo Belt, Northern Marginal Zone, Zimbabwe. *Precambrian Research*, **55**, 407-427.
- Robertson, I.D.M. (1968). Granulite metamorphism of the Basement Complex in the Limpopo metamorphic zone. *Geol. Soc. South Africa Trans, and Proc.*, **71**, 125-133.
- Robertson, I.D.M. (1973). Potash granites of the southern edge of the Rhodesian Craton and the Northern Granulite Zone of the Limpopo Mobile Belt. *Abstract volume 3, Symposium on granites, gneisses and related rocks*.
- Roering, C., Van Reenen, D.D., Smit, C.A., Barton, J.M., Jr., De Beer, J.H., De Wit, M.J., Stettler, E.H., Van Schalkwyk, J.F., Stevens, G., and Pretorius, S. (1992a). Tectonic model for the evolution of the Limpopo Belt, *Precambrian Res.*, **55**, 539-552.
- Roering, C., Van Reenen, D.D., De Wit, M.J., Smit, C.A. De Beer, J.H. and Van Schalkwyk, J.F. (1992b). Structural geological and metamorphic significance of the Kaapvaal Craton / Limpopo Belt contact. *Precambrian Res.*, **55**, 69-80.

- Rollinson, H.R. (1989). Garnet-orthopyroxene thermobarometry of granulites from the northern marginal zone of the Limpopo Belt, Zimbabwe. In: Daley, F.S., Cliff, R.A., Yardley, B.W.D. (eds). *Evolution of Metamorphic Belts. Spec. Publ. Geol. Soc. London*, **42**, 331-335.
- Rollinson, H.R. (1993). A terrane interpretation of the Archaean Limpopo Belt. *Geol. Mag.*, **130** (6), 755-765.
- Rollinson, H.R. & Blenkinsop, T. (1995). The magmatic, metamorphic, and tectonic evolution of the Northern Marginal Zone of the Limpopo Belt in Zimbabwe. *Journal Geol. Soc. London*, **152**, 66-75.
- Schaller, M., Steiner, O., Studer, I., Frei, R. and Kramers, J.D. (1997). Pb stepwise leaching (PbSL) dating of garnet—addressing the inclusion problem. *Schweiz. Mineral. Petrogr. Mitt.* **77** (1997), pp. 83-91.
- Schaller, M., Steiner, O., Studer, I., Holzer, L., Herwegh, M. and Kramers, J.D. (1999). Exhumation of Limpopo Central Zone granulites and dextral continent-scale transcurrent movement at 2.0 Ga along the Palala Shear Zone, Northern Province, South Africa. *Precambrian Research*, **96**, 263-288.
- Schreyer, W. and Abraham, K. (1976). Natural boron-free kornepine and its breakdown products in a sapphirine rock of the Limpopo belt, southern Africa. *Contrib. Mineral. Petrol.*, **54**, 109-126.
- Seth, B., Armstrong, R.A., Brandt, S., Villa, I.M. and Kramers, J.D. (2003). Mesoproterozoic U–Pb and Pb–Pb ages of granulites in NW Namibia: reconstructing a complete orogenic cycle. *Precambrian Research*, **126**, 147-168.
- Skinner, A.C. (1978). The geology of the Mahalapye area. *Bull. Geol. Surv. Botswana*, **9**, 60p.
- Smit, C.A., Roering, C. & Van Reenen, D.D. (1992). The structural framework of the southern margin of the Limpopo Belt, South Africa. *Precambrian Res.*, **55**, 51-67.
- Smit, C.A. and Van Reenen, D.D. (1997). Deep crustal shear zones high-grade tectonites and associated alteration in the Limpopo belt, South Africa: implication for deep crustal processes. *Journal of Geology*, **105**, 37-57.

- Smit, C. A., Van Reenen, D. D., Gerya, T. V. & Perchuk, L. L. (2001). P-T conditions of decompression of the Limpopo high-grade terrain: record from shear zones. *Journal of Metamorphic Geology* **19**, 249-268.
- Söhnge, P.G. (1946). The geology of the Messina copper mines and surrounding country. *Mem. Geol. Surv. S. Afr.*, **40**, 280 p.
- Söhnge, P.G, Le Roux, H.D. and Nel, H.J. (1948). The geology of the country around Messina. Explanation to sheet 46. *Geol. Surv. S. Afr.*, 74p.
- Spear, F.S. & Florence, F.P. (1992). Thermobarometry in granulites: pitfalls and new approaches. *Precambrian Research* , **55**, 209-241.
- Stacey, J.S. and Kramers, J.D. (1975). Approximation of terrestrial lead isotope evolution by a two-stage model. *Earth Planet. Sci.Lett.*, **26**, 207-221.
- Stearn, C.W., Carrol, R.L. and Clark, T.H. (1984). Geological Evolution of North America. New Jersey: John Wiley and Sons, 566 p.
- Stevens, G. and Van Reenen, D.D. (1992). Partial melting and the origin of metapelitic granulites in the Southern Marginal Zone of the Limpopo Belt, South Africa. *Precambrian Res.*, **55**, 303-319.
- Tankard, A.J., Jackson, M.P.A, Eriksson, K.A., Hobday, D.K., Hunter, D.R. and Minter, W.E.L. (1982). Crustal Evolution of Southern Africa: 3.8 Billion Years of Earth History. New York: Springer-Verlag, 532 p.
- Treloar, P.J., Coward, M.P. and Harris, N.B.W (1992). Himalayan-Tibetan analogies for the revolution of the Zimbabwe craton and Limpopo belt. *Precambrian Res.*, **55**, 571-587.
- Tsunogae, T. and Miyano, T. (1989). Granulite facies metamorphism in the Central and Southern Marginal Zones of the Limpopo belt, South Africa. *J. geol. Soc. Japan* , **95**, 1-16.
- Tsunogae, T and Yurimoto, H. (1995). Single zircon U-Pb geochronology of the Limpopo belt by secondary ion mass spectrometry. *Geochem, J.*, **29**, 197-205.
- Tsunogae, T., Miyano, T., and Ridley, J. (1992). Metamorphic P-T profiles from Zimbabwe craton to the Limpopo belt, Zimbabwe. *Precambrian Res.*, **55**, 259-277.
- Van Breemen, O. & Dodson, M.H. (1972). Metamorphic chronology of the Limpopo belt, southern Africa. *Geol. Soc. Am. Bull.*, **83**, 2005-2018.

- Van Breemen, O. and Hawkesworth, C.J. (1980). Sm-Nd isotopic study of garnets and their metamorphic host rocks. *Trans. R. Soc. Edinburgh, Earth Sci.*, **71**, 97-102.
- Van Kal (2004). Two distinct tectono-metamorphic events in the Central Zone of the Limpopo Complex, South Africa: evidence from the Mt Shanzi sheath fold and the Campbell cross fold near Musina. *M.Sc thesis (unpubl.)*, Rand Afrikaans University, Johannesburg.
- Van Reenen, D.D., Perchuk, L.L., Smit, C.A., Varlamov, D.A., Boshoff, R., Huizenga, J.M. and Gerya, T.V. *Journal of Petrology (in press)*.
- Van Reenen, D.D., Barton, J.M., Jr., Roering, C., Smit, C.A. & Van Schalkwyk, J.F. (1987). Deep crustal response to continental collision: The Limpopo belt of southern Africa. *Geology*, **15**, 11-14.
- Van Reenen, D.D., Roering, C., Smit, C.A., Van Schalkwyk, J.F. and Barton, J.M., Jr. (1988). Evolution of the northern high-grade margin of the Kaapvaal craton, South Africa. *J. Geol.*, **96**, 549-560.
- Van Reenen, D.D., Roering, C., Brandl, G., Smit, C.A. and Barton, J.M., Jr. (1990). The granulite-facies rocks of the Limpopo belt, southern Africa. In: Vielqueuf, D. and Vidal, Pg. (Eds.), *Granulites and Crustal Evolution*. NATO ASI series C Mathl. Phys. Sci., Kluwer Acad. Pulg. Dordrecht, **311**, 257-289.
- Van Reenen, D.D., Roering, D., Ashwal, L.D. and De Wit, M.J. (Eds.) (1992). The Archaean Limpopo granulite belt: tectonics and deep crustal processes. *Precambrian Res.*, **55**, 587pp.
- Visser, H.N. (1953). The geology of the Koedoesrand area. *Explan. Sheet 36 geol. Surv. S. Afr.*
- Watkeys, M.K. (1984). The Precambrian geology of the Limpopo belt north and west of Messina. *PhD. Thesis (unpubl.)*, Univ. Witwatersrand, Johannesburg, 349p.
- Watkeys, M.K., Light, M.P.R. and Broderick, R.J. (1983). A retrospective view of the Central Zone of the Limpopo Belt, Zimbabwe. *Spec. Publ. geol. Soc. S. Afr.*, **8**, 65-80.
- Watkeys, M.K. and Armstrong, R.A. (1985). The importance of being alkaline-deformed late Archaean lamprophyric dykes, Central Zone, Limpopo belt. *Trans. Geol. Soc. S. Afr.*, **88**, 195-206.

Windley, B.F., Ackermann, D. and Herd, R.K. (1984). Sapphirine/kornerupine-bearing rocks and crustal uplift history of the Limpopo belt, South Africa. *Contr. Miner. Petrol.*, **86**, 342-258.

Winkler, H.G.F. (1966). Der prozess der anatexis: seine bedeutung fur die beschaffenheit der migmatite. *Tscherm. Min. Petr. Mitt.*, **11**, 266-287.

