

## REFERENCES

- Bakker R. J (1999) Adaptation of Bowers and Helgeson (1983) equation of state to the H<sub>2</sub>O-CO<sub>2</sub>-CH<sub>4</sub>-N<sub>2</sub>-NaCl system. *Chemical Geology* 154, pp 200-212.
- Barbosa, J.S.F. and Fonteilles, M., (1989). Caracterização dos Protólitos da Região Granulítica do Sul da Bahia—Brasil. *Rev. Bras. Geoc.*, 191, pp 3–16.
- Bau M. (1991). Rare earth element mobility during hydrothermal and metamorphic fluid-rock interaction and the significance of the oxidation state of Europium. *Chemical Geology*, 93 pp 219 – 230.
- Beukes N. J. (1983) Plaeoenvironmental setting of the iron formations in the depositional basin of the Transvaal Supergroup. In Trendall A. F and Morris R. C (eds). *Iron formations, facts and problems*, Elsevier, Amsterdam, pp 131-209.
- Bodnar, R.J., Reynolds, T.J., Kuehn, C.A. (1985) Fluid inclusion systematics in epithermal systems. In: Berger, B.R., Bethke, P.M. (eds.) *Geology and geochemistry of epithermal systems. Reviews in Economic Geology*, 2, pp 73-97.
- Bodnar R. J. and Vityk M. O (1994) Interpretation of microthermometric data for H<sub>2</sub>O-NaCl fluid inclusions. In B. De Vito and M. L. Frezzotti (eds.) *Fluid inclusions in minerals: methods and applications. Short course of the working group (IMA) "Inclusions in minerals "*, Virginia Tech., pp 117-130
- Bonatti E., Kraemer T., and Rydell H. (1972) Classification and genesis of submarine iron-manganese deposits. In Horn D. R., (ed) *Ferromanganese deposits on the ocean floor: Washington Natl. Sci. Foundation*, pp 149-166
- Boynton, W.V. (1984) Geochemistry of the rare earth elements: meteorite studies. In: Henderson P. (ed.), *Rare earth element geochemistry*. Elsevier, pp 63-114.
- CPRM (2001) Estados do Para Maranhao. Programa de levantamentos Geologicos Basicos do Brasil. Escala 1: 250, 000.
- Costa M.L (1997) Lateritization as major process of ore deposit formation in the Amazon Region, *Exploration and Mining Geology*, 6, pp 79–104.

Dantas E. L., Van Schmus W. R, Hackspacher P. C., Fetter A. H., de Brito Neves B. B, Cordani U., Nutman A. P. and Williams I. S. (2004) The 3.4–3.5 Ga São José do Campestre massif, NE Brazil: remnants of the oldest crust in South America. *Precambrian Research* 130, Issues 1-4, pp 113-137.

Dardenne M. A and Schobbenhaus C. (2000). The metallogenesis of the South American platform. In Cordoni U. G., Milani E. J., Thomas Filho A. and Campos D.A (eds.) *Tectonic Evolution of South America*. 31<sup>st</sup> International Geological Congress, Brazil, pp 755 – 850.

Dasgupta S., Sengupta P., Bhattacharya P. K. and Roy S. (1990). Petrogenesis of metamorphosed manganese deposits and the nature of their precursor sediments: *Ore Geology Reviews* 5, pp 359-384.

Diamond L. W. Review of the systematics of CO<sub>2</sub>-H<sub>2</sub>O fluids. *Lithos* 55, pp 69-100.

Dorr, J. (1973). Iron formation and associated manganese in Brazil. UNESCO. *Genesis of Precambrian iron and manganese deposits*. Proc. Kiev Symp., 1970 *Earth Sciences* 9, pp 105-113.

Elderfield H and Greaves M. J. (1981). Negative cerium anomalies in the rare earth patterns of oceanic ferromanganese nodules. *Earth and Planetary Science letters*. 55, pp 163 – 170.

Frakes L. and Bolton B. (1992). Effects of Ocean chemistry, Sea level and climate of the formation of primary manganese ore deposits. *Economic geology* 87, pp 1207-1217.

Gebert H, (1989). *Schichtgebundene Manganlagerstätten*. Ferdinand Enke Verlag Stuttgart, pp 134 – 146.

Goldstein, R.H. (2001) Fluid inclusions in sedimentary and diagenetic systems. *Lithos* 55, pp 159-193.

Goldstein, R.H. and Reynolds, T.J. (1994) Systematics of fluid inclusions in diagenetic minerals: Society for Sedimentary Geology (SEPM) Short Course 31, pp 199.

Greyling, L.N. (2000) The Paleoproterozoic carbonate-hosted Poring lead-zinc deposit, South Africa. Unpublished M.Sc. thesis, Rand Afrikaans University, South Africa.

Gutzmer, J. and N.J. Beukes (1998a): The manganese formation of the Neoproterozoic Penganga Group, India-revision of an enigma. *Econ. Geol.* 93, pp 1091-1102.

Gutzmer, J. and Beukes, N.J. (1998b) High-grade manganese ore in the Kalahari Manganese Field: Characterization and dating of ore-forming events. Unpublished Report to SAMANCOR Ltd., pp 222.

Hatton O. J. and Davidson G. J (2004). Soldiers cap Group iron formations Mt. Isa Inlier, Australia, as windows into hydrothermal evolution of a base metal-bearing Proterozoic rift basin. *Aus. Jor. of Earth. Sci.* 41 pp 95 – 106.

Hoefs J. (1996). *Stable isotope geochemistry*, 4<sup>th</sup> edition Springer, Berlin pp 201.

Holloway J. R. (1981). Compositions and volumes of supercritical fluids in the Earth's crust. In: L.S Hollister and M. L. Crawford (eds.) *Short course in fluid inclusions: Applications to petrology.* Mineralogical Association of Canada 6, pp 13-36.

Holtrop J. F. (1962). *De mangaanafzettingen van Het Guyana Schild.* Geboren te Sungei Gerong, Indonesia.

Horbe A.M.C. and da Costa M.L. *In Press* (2004). Lateritic crusts and related soils in eastern Brazilian Amazonia Geoderma.

Huizenga J.M. (2001) Thermodynamic modeling of C-O-H fluids. *Lithos* 55, pp 101-114

Huizenga J. M. (2003). An Excel spreadsheet for composition calculations in the C-O-H fluid system. Department of Geology, Rand Afrikaans University, South Africa. [www.rau.ac.za/geology/jmh](http://www.rau.ac.za/geology/jmh). Unpubl. software.



ICOMI (1957) *Indústria e Comércio de Minérios S.A.* Serra do Navio company report.

Kesse, G. O. (1985). *The mineral and rock resources of Ghana.* A. A. Balkema, Rotterdam, pp 610.

Kuleshov V. N. (2003). Isotopic composition ( $\delta^{13}\text{C}$ ,  $\delta^{18}\text{O}$ ) and origin of Manganese carbonate ores from the Early Oligocene deposits, the eastern Paratethys. *Chemie Erde* 63, pp 329-363.

Lafrance J., Bardoux, M., Stevenson, R., Machado, N., Sauvage, J.F., Fournier, D., (1997). Geochemical characteristics of magmatic rocks of the St-Élie area, Northern greenstone belt, French Guiana: a Paleoproterozoic oceanic arc and collision zone within the Guiana Shield. *GSA Annual Meeting, Denver, Abstracts with Programs*, 29, pp 158.

Leeder O., Thomas R. and Klemm W. (1987) *Einschlusse in Mineralen.* VEB Deutscher Verlag fur Grundstoffindustrie, Leipzig, pp 180.

- Ledru, P., Johan, V., Milési, J.P. and Tegye, M (1994). Makers of the last stage of the Paleoproterozoic collision: evidence for 2 Ga continent involving circum-South Atlantic provinces. *Precambrian Res.* 69, pp 169–191.
- Lemlein G. G. (1956). Formation of fluid inclusions and their use in geological thermometry. *Geochemistry* 6, pp 630-642.
- Leube A., Hirdes W., Mauer R and Kesse G. O (1990). The Early Proterozoic Birimian Supergroup of Ghana and Some aspects of its associated gold mineralization. *Precambrian Research* 46, pp 139-165.
- McLennan, S.M. (1989) Rare earth elements in sedimentary rocks: Influence of provenance and sedimentary processes. In: Lipin B.R., McKay G.A. (eds.) *Geochemistry and Mineralogy of Rare Earth Elements*. *Reviews in Mineralogy* 21, pp 169-200.
- McLennan, S.M. (1994) Rare earth element geochemistry and the “tetrad” effect. *Geochimica et Cosmochimica Acta* 58, pp 2025-2033.
- McLennan, S.M. and Taylor S.R. (1991) Sedimentary rocks and crustal evolution: Tectonic setting and secular trends. *J. Geol.* 99, pp 1–21.
- Milesi, J. P., Ledru, P., Feybesse, J. L., Dommanget, A., Marcoux, E., (1992): Early Proterozoic ore deposits and tectonics of the Birimian orogenic belt, West Africa. *Precambrian Research* 58, pp 305-344.
- Munteanu M., Marincea S., Kasper H. U., Zak K., Alexe V., Spatefrati G. and Mihalache A. (2004) Black chert-hosted manganese deposits from the Bistritei Mountains, East Carpathians (Romania): petrography, genesis and metamorphic evolution. *Ore Geology Reviews* 24, pp 45 – 65.
- Nagell R. H (1962). Geology of the Serra do Navio manganese district, Brazil. *Economic Geology* 57, pp 481-498.
- Nicholson, K. (1992). contrasting mineralogical-geochemical signatures of manganese oxides. *Guides to metallogenesis: Economic Geology* 87, pp 1253 – 1264.
- Nyame, F.K., (1998): *Mineralogy, Geochemistry and the genesis of the Nsuta manganese deposit, Ghana*. Unpublished PhD Thesis, Okayama University, Japan, pp 243.

- Nyame F. K. (2001). Petrological significance of manganese carbonate inclusions in spessartine garnet and relation to stability of spessartine in metamorphosed manganese-rich rocks. *Contrib. Mineral Petrol.* 141, pp 733-746.
- Ohmoto H. and Kerrick D. (1977). Devolatilization equilibria in graphitic systems. *American Journal of Science* 277, pp 1013-1044.
- Okita, P. M., Maynard, J. B., Spiker, E.C., Force, E. R., (1988): Isotopic evidence for organic matter oxidation by manganese reduction in the formation of stratiform manganese carbonate ore. *Geochemica et Cosmochimica Acta* 52, pp 2679-2685.
- Okita, P.M. and Shanks, W.C. (1992). Origin of stratiform sediment-hosted manganese carbonate ore deposits: Examples from Molango, Mexico, and Tao Jiang, China 99, pp 139-164.
- Peter J.M. and Goodfellow W. D. (1996). Mineralogy and bulk, rare earth geochemistry of massive sulphide-associated hydrothermal sediments of the Brunswick horizon, Bathurst Mining Camp, New Brunswick. *Canadian Journal of Earth Sciences* 33, pp 252-283.
- Polgári, M., Okita, P.M. and Hein, J.R. (1991). Stable isotope evidence for the origin of the Úrkút manganese ore deposit, Hungary. *Journal of Sed. Petrology* 61, pp 384-393.
- Ramos-Preston, P.C.C. (2001). Physical and chemical characterization of the manganese ore bed at the Mamatwan mine, Kalahari Manganese Field. Unpubl. PhD thesis, Rand Afrikaans University, Johannesburg.
- Rodrigues, O. B., Kosuki, R. and Filho, A. C., (1986). Distrito Manganífero de Serra do Navio, Amapá. In Schbhenhaus, C. C., Silva, C. E. *Principais Depósitos Minerais do Brasil-Volume II*. Brasília: DNPRM/CVRD, 1986, pp 167-172.
- Roedder, E. (1967). Fluid inclusions as samples of ore fluids. In: Barnes, H.L. (ed.) *Geochemistry of hydrothermal ore deposits*, first edition. New York, Holt, Rinehart and Winston, pp 515- 574.
- Roedder, E. (1984). Fluid inclusions. *Mineralogical Society of America, Reviews in Mineralogy* 12, pp 646.
- Rollinson, H. (1993). *Using geochemical data: evaluation, presentation, and interpretation*. Longman Scientific & Technical.

- Roy S. (1981). Manganese deposits: London Academic Press.
- Scarpelli, W. (1968). Precambrian metamorphic rocks of Serra do Navio, Brazil. (Unpublished MSc. thesis) Stanford University, pp 1-50.
- Scarpelli, W. (1973). The Serra do Navio manganese deposit (Brazil). UNESCO. Genesis of Precambrian iron and manganese deposits. Proc. Kiev Symp., 1970 Earth Sciences 9, pp 217-228.
- Shi P. and Sabena S. K (1992). Thermodynamic modeling of the C-O-H-S fluid system. American Mineralogist 77, pp 1038-1049.
- Taylor S. R and McLennan S. (1985). The continental crust: Its composition and evolution. Blackwell, Oxford.
- Texeira, W. Tassinari C., Cordani U. G and Kawashita K. (1989). A review of the geochronology of the Amazonian Craton: Tectonic Implications. Precambrian Research 42, pp 213 – 227.
- Touret J. R and Dietvorst P. (1983). Fluid inclusions in high-grade anatectic metamorphites. Journal of the Geological society, London 140, pp 635-649.
- Touret J. L. R. (2001). Fluids in metamorphic rocks. Lithos 55 pp 1-25.
- Van Bart, A. (2001). Structure, Stratigraphy and Sedimentology of the Paleoproterozoic Nsuta manganese deposit, Ghana. (Unpublished MSc thesis) Rand Afrikaans University.
- Van den Kerkhof, A.M. and Hein, U.F. (1984). Fluid inclusions petrography. Lithos 55, pp 27-37.
- Van den Kerkhof A. M. (1988). The system CO<sub>2</sub>-CH<sub>4</sub>-N<sub>2</sub> in fluid inclusions. Ph.D thesis Vrije Univeriteit Amsterdam.
- Van Staden A. (2002). Characterization of the lowermost manganese ore bed of the Hotazel Formation, Gloria Mine, Northern Cape province, South Africa. Unpubl. MSc thesis. Rand Afrikaans University.
- Veizer, J., Clayton, R.N., Hinton, R.W. (1992). Geochemistry of Precambrian carbonates: IV. Early Paleoproterozoic (2.25±0.25 Ga) seawater, Geochimica et Cosmochimica Acta 56, pp 875-885.

Voicu, G., Bardoux, M. and Stevenson, R. (2001). Lithostratigraphy, geochronology and gold metallogeny in the northern Guiana Shield, South America: A Review. *Ore Geology Reviews* 18. pp 211-236.

Wilkinson J. J. (2001). Fluids in hydrothermal ore deposits. *Lithos* 55, pp 229-272.

Zhao G., Cawood P. A., Wilde S. A. and Sun M. (2002) Review of global 2.1–1.8 Ga orogens: implications for a pre-Rodinia supercontinent. *Earth-Science Reviews* 59, pp 125-162

