

## References

- Beukes, N.J., Dorland, H., Gutzmer, J., Nedachi, M. and Ohmoto, H., 2002: Tropical laterites, life on land, and the history of atmospheric oxygen in the Paleoproterozoic, *Geology*, June, 30, no. 6, p.491-494.
- Beukes, N.J., Burger, A.M. and Gutzmer, J., 1995: Fault-controlled hydrothermal alteration of Palaeoproterozoic manganese ore in Wessels Mine, Kalahari manganese field, *S.Afr.J.Geol.*, v.98, p.430-451.
- Beukes, N.J. and Smit, C.A., 1987, New evidence for thrust faulting in Griqualand West, South Africa: *S.Afr.J.Geol.*, v.90, p.378-394.
- Beukes, N.J., 1983, Paleoenvironmental setting of iron formations in the depositional basin of the Transvaal Supergroup, South Africa, In: Trendhall, A.F., and Morris, R.C. (eds). *Iron Formations, facts and problems*, Elsevier, Amsterdam, 131-209.
- Boardman, L.G., 1941, The Black rock manganese deposit in the south-eastern Kalahari: *Trans.Geol.Soc.S.Afr.*, v. 44, p.51-60.
- Boardman, L.G., 1964, Further geological data on the Postmasburg and Kuruman manganese ore deposits, northern Cape Province. In: *Geology of Some Ore Deposits in Southern Africa*, v. 2: Geological Society of South Africa, Johannesburg, p.415-440.
- Brimhall, G.H., Alpers, C.N., and Cunningham, A.B., 1985, Analyses of supergene ore-forming processes and Ground-water solute transport using mass balance principles: *Economic Geology*, v.80, no.5, p.1227-1256.
- Brimhall, G.H., and Dietrich, W.E., 1987, Constitutive mass balance relations between chemical composition, volume, density, porosity, and strain in metasomatic hydrochemical systems: Results on weathering and pedogenesis: *Geochemica et Cosmochimica Acta*, v.51, p. 567-587.
- Burke, K., 1996, The African plate: *South African Journal of Geology*, v. 99, p. 339-409.
- Burns, R.G. and Burns, V.M., 1979, Manganese oxides. In: *Marine Minerals*, ed. P.H. Ribbe, p.1-46, Washington, DC: Mineral.Soc.Am.
- Cornell, D.H. and Schütte, S.S., 1995, A volcanic-exhalative origin for the world's largest (Kalahari) Manganese field, *Mineral. Deposit.*, v. 30, p. 146-151.
- De Villiers, P.R., 1970, The geology and mineralogy of the Kalahari manganese-field north of Sishen, Cape Province, 84pp.

De Waal, S.A., 1969, Ramsdellite from the Hotazel Mine, Northern Cape Province, South Africa: *Econ. Geol.*, v. 64, p.221-223.

Dammer, D., Chivas, A.R., McDougall, I., 1996, Isotopic dating of supergene manganese oxides from the Grootte Eylandt Deposit, Northern Territory, Australia: *Econ. Geol.*, v. 91, p. 386 – 401.

Du Plooy, 2001, Geochemistry and mineralogy of the supergene altered manganese ore below the Kalahari Unconformity in the Kalahari manganese field, Northern Cape Province: Unpublished technical report, SAMANCOR, 10p.

English, N.B., Quade, DeCelles, P.G., and Garziona, C.N, 2000, Geological control of Sr and major element chemistry in Himalayan Rivers, Nepal: *Geochimica et Cosmochimica Acta*, v.64, no. 15, p.2549-2566.

Evans, D.A.D, Beukes, N.J. and Kirschvink, J.L., 1997, Low-latitude glaciation in the Palaeoproterozoic era: *Nature*, v.386, p.262-266.

Grant, J.A., 1986, The isocon diagram – a simple solution to Gresens equation for metasomatic alteration, *Econ. Geol.*, v.81, p.1976-1982.

Gresens, R.L., 1967, Composition-volume relationships of metasomatism, *Chem. Geol.*, v.2, p.47-65.

Gutzmer, J. and Beukes, N.J., 1998, High-grade manganese ores in the Kalahari manganese field: Characterisation and dating of ore-forming events, Confidential company report, SAMANCOR, 250pp.

Gutzmer, J., Beukes, N.J. and Yeh, H.W., 1997, Fault-controlled metasomatic alteration of the Early Proterozoic sedimentary manganese ore at Mamatwan Mine, Kalahari manganese field, South Africa, *S. Afr. J. Geol.*, v. 100, p. 53-71.

Gutzmer, J and Beukes, N.J., 1995, Fault-Controlled Metasomatic Alteration of Early Proterozoic Sedimentary Manganese Ores in the Kalahari Manganese Field, South Africa: *Econ. Geol.* , v. 90, p. 823-844.

Gutzmer J. and Beukes, N.J., 1996, Mineral Paragenesis of the Kalahari manganese field, South Africa: *Ore Geology Reviews*, v. 11, p.405-428.

Gutzmer, J., 1996, Genesis and alteration of the Kalahari and Postmasburg manganese deposits, Griqualand West, South Africa: Unpublished PhD Thesis, RAU, Johannesburg, 266 pp.

Gutzmer J. and Beukes, N.J., 2000, Asbestiform manjiroite and todorokite from the Kalahari manganese field, South Africa, *South African Journal of Geology*, v.103, p. 163-174.

Hautmann, S. and Lippolt, H.J., 2000,  $^{40}\text{Ar}/^{39}\text{Ar}$  dating of central European K-Mn oxides – a chronological framework of supergene alteration processes during the Neogene: *Chemical Geology*, v.170, 37-80, p.36-58.

Holland, H.D. and Beukes, N.J., 1990, A paleoweathering profile from Griqualand West, South Africa: evidence for a dramatic rise in atmospheric oxygen between 2.2 and 1.9 byBP.: *Amer. Jour. Sci.*, v.290-A, p. 1-34.

King, L.C., 1962, *Morphology of the earth*, Oliver and Boyd, Edinburgh, 699p.

Kirschvink, J.L, Gaidos, E.J., Bertani, L.E., Beukes, N.J., Gutzmer, J., Maepa, L.N. and Steinberger, R.E., 2000, Paleoproterozoic snowball Earth: Extreme climatic and geochemical global change and its biological consequences: *PNAS*, v. 97, p. 1400-1405.

Kleyenstüber, A.S.E., 1984, The mineralogy of the manganese-bearing Hotazel Formation, of the Proterozoic Transvaal sequence in Griqualand West, South Africa: *Trans.geol.Soc.S.Afr.*, v.87, p. 257-272.

Kleyenstüber, A.S.E., 1985, A regional mineralogical study of the manganese-bearing Voëlwater Subgroup in the Northern Cape Province: Unpublished PhD Thesis, RAU, Johannesburg, 328 p.

Kleyenstüber, A., 1993, Significant characteristics of the manganese ores and some of the minerals occurring in the Proterozoic Kalahari Manganese Field, South Africa: *Resource Geology Special Issue*, v.17, p. 2-11.

MacLean, W.H., and Kranidiotis, P., 1987, Immobile elements as monitors of mass transfer in hydrothermal alteration: Phelps Dodge massive sulphide deposit, Matagami, Quebec: *Econ.Geol.*, v.82, p.951-962.

Mote, T.I., Brimhall, G.H., Tidy-Finch, E., Muller, G., and Carrasco, P., 2001, Application of mass-balance Modeling of sources, pathways, and sinks of supergene enrichment to exploration and discovery of the Quebrada Tuquesa exotic copper orebody, El Salvador district, Chile: *Econ. Geol.*, v.96, p.367-386.

Mottie, G.W, 2001, Manganese, In: *South Africa's mineral industry 2000/2001*. Department of Minerals and Energy, p. 114-117.

Nel, C.J., 1984, Die mineralogy and geochemie van die Mamatwanertsiggaam, Kalaharimangaanveld, Transvaal-supergroep, Unpublished MSc thesis, RAU, Johannesburg, 119p.

Nel, C.J., Beukes, N.J. and De Villiers, J.P.R., 1986, The Mamatwan manganese mine of the Kalahari manganese field, In: C.R. Annhaeusser and S. Maske (Editors), Mineral Deposits of South Africa, Vol. 1, Geological Society of South Africa, Johannesburg, p.963-978.

Netterberg, F., 1969, The geology and engineering properties of South African calcretes: Unpublished PhD Thesis, University of Witwatersrand, Volume 2.

Nicholson, K., 1992, Contrasting mineralogical – Geochemical signatures of manganese oxides: Guides to metallogenesis: *Econ. Geol.*, v. 87, p. 1253-1264.

Olsen, S.N., and Grant, J.A., 1991, Isocon analysis of migmatization in the Front Range, Colorado, USA: *J.Metam.Geol.*, v.9, p.151-164.

Partridge, T.C. and Maud, R.R., 1987, Geomorphic evolution of southern Africa since the Mesozoic: *South African Journal of Geology*, v. 90, p. 197-208.

Preston, P.C.C., 2001, Physical and chemical characterization of the Mamatwan ore bed at the Mamatwan mine, Kalahari Manganese Field, Unpubl.Msc thesis, Rand Afrikaans University, Johannesburg, 140p.

Roux, E.J., 2001, Minerals statistical tables, 1980-2000. Department of Minerals and Energy Republic of South Africa, Bulletin B1/2001, p.6

Ruffet, G., Innocent, C., Michard, A., Ferrad, G., Beauvais, A., et al., 1996, A geochronological  $^{40}\text{Ar}/^{39}\text{Ar}$  and  $^{87}\text{Rb}/^{86}\text{Sr}$  study of K-Mn oxides from the weathering sequence of Azul, Brazil: *Geochim. Cosmochim. Acta*, v. 60, p. 2219-2232.

SAMANCOR, 1994, Brochure describing the manganese and iron interests of the Samancor Group of Companies, SAMANCOR, Johannesburg, 6p.

Steiger, R.H. and Jäger, E., 1978, Subcommission on Geochronology; convention on the use of decay constants in geochronology and cosmochronology: In: Cohee, G.V., Glaessner, M.F. and Hedberg, H.D. (Eds) *Contributions to the geologic time scale*, p. 67-71

Taljaardt, J.J., 1982, Major manganese ore fields, Republic of South Africa: Johannesburg, SAMANCOR, unpublished report, 7p.

Tsikos, H. and Moore, J.M., 1998, The Kalahari manganese field: an enigmatic association of iron and manganese: *S.Afr.J.Geol.*, v.101, p. 287-290.

Tucker, M.E., 1992, *Sedimentary petrology: An introduction to the origin of sedimentary rocks*, 260p.

Van Staden, A., 2002, Characterization of the lowermost manganese ore bed of the Hotazel formation. Gloria mine, Northern Cape Province, Unpubl MSc thesis, Rand Afrikaans University, Johannesburg, 167p.

Vasconcelos, P.M., Onoe, A.T., Kawashita, K., Soares, A.J. and Teixeira, W., 2002,  $^{40}\text{Ar}/^{39}\text{Ar}$  geochronology at the Instituto de Geociências, USP: instrumentation, analytical procedures, and calibration: *An. Acad. Bras. Cienc.*, v. 74, p. 297-342.

Vasconcelos, P.M., 1999, K-Ar and  $^{40}\text{Ar}/^{39}\text{Ar}$  geochronology of weathering processes: *Annu.Rev.Earth Planet. Sci.*, v.27, p.183-229.

Vasconcelos, P.M., Renne, P.R., Becker, T.A., Wenk, H.R., 1995, Mechanisms and kinetics of atmospheric, radiogenic, and nucleogenic argon release from cryptomelane during  $^{40}\text{Ar}/^{39}\text{Ar}$  analysis: *Geochim. Cosmochim. Acta*, v. 59, p.2057-2070.

Vasconcelos, P.M., Renne, P.R., Brimhall, G.H. and Becker, T.A., 1994, Direct dating of weathering phenomena by  $^{40}\text{Ar}/^{39}\text{Ar}$  and K-Ar analysis of supergene K-Mn oxides: *Geochimica et Cosmochimica Acta*, v. 58, no.6, p. 1635-1665.

Vasconcelos, P.M., Becker, T.A., Renne, P.R. and Brimhall, G.H., 1992, Age and Duration of weathering by  $^{40}\text{K}$ - $^{40}\text{Ar}$  and  $^{40}\text{Ar}/^{39}\text{Ar}$  Analyses of potassium-manganese oxides: *Science*, v.258, p. 451-455.

Wasserstein, B., 1943, On the presence of boron in braunite and manganese ores: *Econ. Geol.*, v. 38, p. 389-398.

Watts, N.L., 1980, Quaternary pedogenic calcretes from the Kalahari (southern Africa): mineralogy, genesis and diagenesis, In: *Calcretes*, (Ed. by Wright, Paul V. and Tucker, Maurice E.): *Sedimentology*, v. 27, p. 661-686.