

5. References

- Bahnemann, K.P., 1972: *A review of the Structure, the Stratigraphy and the Metamorphism of the basement-rocks in the Messina district, Northern Transvaal*. Ph.D. thesis (unpubl.), Univ. of Pretoria, Pretoria, South Africa, 156pp.
- Bahnemann, K.P., 1973. The origin of the Singelele Granite gneiss near Messina, northern Transvaal. In: Lister, L.A. (ed.), *Symposium on Granites, Gneisses and Related Rocks*. Spec. Publ. Geol. S. Afr., 3, 235-244.
- Barton, J.M., Jr., R.E.P. Fripp, P.Horrocks, N. McLean, 1979: The geology, age, and tectonic setting of the Messina Layered Intrusion, Limpopo mobile belt. Southern Africa. *Am. J. Sci.*, 279, 1108-1134.
- Barton, J.M. Jr. and R.M. Key. 1981: The tectonic development of the Limpopo Mobile Belt, and the evolution of the Archaean cratons of southern Africa, 185-212. In Kröner, A., (Ed.), *Precambrian Plate Tectonics*. Elsevier, Amsterdam.
- Barton, J.M. Jr. 1983: Pb-isotope evidence for the age of the Messina Layered Intrusion, central zone, Limpopo mobile belt. *Geol. Soc. S. Afr. Spec. Publ.*, 8, 39-41.
- Barton, J.M. Jr. and R.M. Key, (1983): Rb-Sr ages and geological setting of certain rock units from the central zone of the Limpopo mobile belt, near Zanzibar, eastern Botswana. *Geol. Soc. A. Afr. Spec. Publ.*, 8, 19-25.
- Barton, J.M. Jr., D.D. van Reenen, and C. Roering, 1990: the significance of 3000Ma granulite-facies mafic dikes in the central zone of the Limpopo belt, southern Africa. *Precambrian Res.*, 48, 299-308.
- Barton, J.M. Jr. and D.D. van Reenen, 1992a: When was the Limpopo orogeny? In: D.D. van Reenen, C. Roering, L.D. Ashwal and M.J. de Wit (Editors). *The Archaean*

- Limpopo Granulite Belt: Tectonics and -Deep Crustal Processes. *Precambrian Res.* 55, 7-16.
- Barton J.M., Jr., R. Doig, C.B. Smith, F. Bohlender and D.D. van Reenen, 1992b: Isotopic and REE characteristics of the intrusive charonenderbite and enderbite geographically associated with the Matok Pluton, Limpopo Belt, southern Africa. *Precambrian Res.* 55, 451-467.
- Barton J.M. Jr., R. Holzer, B. Kamber, R. Doig, J.D. Kramers and D. Nyfeler, 1994: Discrete metamorphic events in the Limpopo Belt, southern Africa: Implications for the application of P-T paths in complex metamorphic terranes. *Geology* 22, 1035-1038.
- Barton, J.M. Jr. 1996: The Messina Layered Intrusion, Limpopo Belt, South Africa: An example of in-situ contamination of an Archean anorthosite complex by continental crust. *Precambrian Res.*, 78, 139-150.
- Bohlender, F., D.D. van Reenen and J.M. Barton Jr., 1992: Evidence for the presence of igneous and metamorphic charnockites in the Southern Marginal Zone of the Limpopo Belt. *Precambrian Res.* 55, 429- 449.
- Boshoff, R., 2003: *Formation of major fold types during distinct geological events in the Central Zone of the Limpopo Belt, South Africa: new structural, metamorphic and geochronological data.* M.Sc. dissertation, Rand Afrikaans University, Johannesburg, 121pp.
- Brandl, G. 1983: Geology and geochemistry of various supracrustal rocks of the Beit Bridge Complex east of Messina. *Geological society of South Africa Special publication* 8, 103-112.

- Brandl, G. 1990: Geological setting, petrography and geochemistry of the Alldays Gneiss and Associated mafic dykes, Limpopo belt, South Africa. In: Barton, J.M., Jr. (Ed.), *The Limpopo Belt: A field Workshop on granulites and Deep Crustal Tectonics*. Ext. abstr. Dept. Geol., Rand Afrikaans University, Johannesburg, 22-25.
- Brandl, G and S.J. Pretorius, 2000: 2228 ALLDAYS, 1:250 000 Geological series. *Council for Geoscience, Pretoria*.
- De Wit M.J., C.Roering, R.J. Hart, R.A.Armstrong, C.E.J. de Ronde, and R.W.E. Green, M. Tredoux, E. Peperdy, and R.A. Hart, 1992: Formation of an Archaean continent. *Nature*, 357, 553-562.
- Ellis, D.J. and D.D. Green, 1979: An experimental study of the effect of Ca upon garnet-clinopyroxene Fe-Mg exchange equilibria. *Contrib. Mineral. Petrol.*, 71, 13-22.
- Eriksson K.A., W.S. Kidd and B. Krapez, 1988: Basin analysis in regionally metamorphosed and deformed early Archaean terrains: Examples from southern Africa and Western Australia. In: Kleinspehn, K.L. and C. Paola (Eds.), *Frontiers in Sedimentary Geology, New Perspectives in Basin Analysis*. Springer-Verlag, New York, 371-404.
- Feldtmann, F., C.A. Smit and D.D van Reenen, 1995. The significance of two major structural trends in the Central zone of the Limpopo Belt. *Centennial Geocongress, Johannesburg, Extended Abstracts*, 2, 596-599.
- Feldtmann, F. 1996: *The structural – metamorphic evolution of the marble and calcilicate rocks of the Baklykraal quarry near Alldays, Central zone, Limpopo Belt. South Africa*. Unpubl. M.S.C dissertation, Rand Afrikaans University, Johannesburg, 132pp.

- Fripp, R.E.P., P.A. Lilly, and J. M. Barton Jr., 1979: The structure and origin of the Singelele gneiss at the type locality near Messina, Limpopo Mobile Belt. *Trans. Geol. Soc. S. Afr.* 82, 161-167.
- Fripp, R.E.P., 1982: *The Precambrian geology of the area around the Sand River near Messina, northern Transvaal*. Ph.D. thesis (unpubl.), Univ. Witwatersrand, Johannesburg, 251pp.
- Fripp, R.E.P., 1983: The Precambrian geology of the area around the Sand River near Messina, Central Zone, Limpopo Mobile Belt. In: van Biljon, W.J., J.H. Legg (Eds.), *The Limpopo Mobile Belt*. Geol. Soc. S. Afr., spec. publ. 8, 89-102.
- Frost B.R. and T. Chacko, 1989: The granulite uncertainty principle: limitations on thermobarometry in granulites. *J. Geol.*, 97, 435-450.
- Gerya, T.V. and L.L. Perchuk, 1990: GEOPATH – a thermodynamic database for geothermobarometry and related calculations with IBM PC computer. In: *Metamorphic Styles in Young and Ancient Orogenic Belts. Program and Abstract*, (eds. Pattison, D.R., Gent, E.D. and Gordon, T.M.), pp. 59-61. Calgary University Press, Calgary, Canada.
- Graham C.M. and R. Powell, 1984: A garnet-hornblende geothermometer: calibration, testing, and application to the Pelona schist, Southern California. *J. Metam. Geol.* 2, 13-31.
- Harris, N.B.W. and T.J.B. Holland, 1984: The significance of cordierite-hypersthene assemblages from the Beit Bridge region of the central Limpopo belt; evidence for rapid decompression in the Archaean? *Am. Miner.*, 69, 1036-1049.
- Hofmann, A., A. Kröner and G. Brandl, 1998: Field relationships of mid- to late Archaean high-grade gneisses of igneous and sedimentary parentage in the Sand

- River, Central Zone of the Limpopo Belt, South Africa. *S. Afr. J. Geol.*, 101, 185-200.
- Holzer, L. 1995: *The Magmatic petrology of the Bulai pluton and the tectono-metamorphic overprint at 2.0Ga in the Central Zone of the Limpopo Belt (Messina-Beit Bridge area, Southern Africa)*. Unpubl. Dip. dissertation, University of Berne, Berne, Switzerland.
- Holzer, L., 1998: *The transpressive Orogeny at 2Ga in the Limpopo Belt, South Africa*. Unpublished Ph.D thesis, University of Berne, Switzerland.
- Holzer, L., L. Frei, J.M. Barton Jr., J.D. Kramers, 1998: Unraveling the record of the Limpopo belt using Pb single phase dating of metamorphic minerals. *Precambrian Res.* 87, 87-115.
- Horrocks, P.C., 1980: Ancient Archaean supracrustal rocks from the Limpopo Mobile Belt. *Nature*, 286, 596-599.
- Horrocks, P.C., 1983. The Precambrian geology of an area between Messina and Tshipise, Limpopo mobile belt. In: Van Biljon, W.J. and J.H., Legg (eds.) *The Limpopo Mobile Belt. Geol. Soc. S. Afr. Spec. Publ.*, 8, 81-88.
- Jaeckel, P., A. Kröner, S.L., Kamo, G. Brandl, J.I. Wendt, 1997: Late Archaean to early proterozoic granitoid magmatism and high-grade metamorphism in the central Limpopo belt, South Africa. *J. Geol. Soc. Lond.* 154, 25-44.
- Kamber, B.S. and G.G. Biino, 1995: The evolution of high T- low P granulites in the Northern Marginal Zone sensu stricto, Limpopo Belt, Zimbabwe –the case for petrography. *Schweizer Mineralogische Petrographische Mitteilungen*, 75, 427-454.

- Kamber, B.S., T.G. Blenkinsop, I.M. Villa, and P.S. Dahl, 1995a: Proterozoic transpressive deformation in the Northern Marginal Zone, Limpopo Belt, Zimbabwe. *J. Geol.*, 103, 493-508.
- Kamber, B.S., J.D. Kramers, R. Napier, R.A. Cliff and H.R. Rollinson, 1995b: The Triangle Shear Zone, Zimbabwe, revisited: new data document an important event at 2.0Ga in the Limpopo Belt. *Precambrian Res.* 70, 191-213.
- Kohn M.J. and F. S. Spear, 1984: Empirical calibration of geobarometers for the assemblage garnet+hornblende+plagioclase+quartz. *Am. Mineral.* 74, 77-84.
- Key, R.M., 1977: the geological history of the Limpopo mobile belt based on the field mapping of the Botswana Geological Survey. In: Ermanovics, I.F., R.M. Key (Eds.), The Proceedings of a Seminar Pertaining to the Limpopo Mobile Belt, *Geol. Survey Dept. Bull.*, 12, 41-60.
- Key, R.M., (1979): Quarter degree sheet 2228C (Zanzibar), with brief explanation. Scale 1:250 000. *Geol. Surv. Botswana*.
- Kreissig, K., L. Holzer, I.M. Frei, J.D. Kramers, A. Kröner, C.A. Smit and D.D. van Reenen, 2001: Geochronology of the Hout River Shear Zone and the metamorphism in the Southern Marginal Zone of the Limpopo belt, Southern Africa. *Precambrian Res.*, 109, 145-173.
- Kröner, A., P. Jaeckel, A. Hofman, A.A. Nemchin, G. Brandl, 1998: Field relationships and ages of supracrustal Beit Bridge Complex and associated granitoid gneisses in the Central Zone of the Limpopo Belt, South Africa. *S. Afr. J. Geol.*, 101, 201-213.

- Kröner, A., P. Jaeckel, G. Brandl, A.A. Nemchin, R.T. Pidgeon, 1999: Single zircon ages for the granitoid gneisses in the central zone of the Limpopo Belt, South Africa and geodynamic significance. *Precambrian Res.* 93, 299-337.
- Light, M.P.R. and M.K. Watkeys, 1977: A preliminary report on the central Zone of the Limpopo mobile belt, Rhodesia. *Bull. Geol. Surv. Botswana*, 12, 61-73.
- Light, M.P.R., 1980: *The Structure and Metamorphism of the area east of Beit Bridge, Zimbabwe*. Ph.D thesis, Univ of Zimbabwe, Harare (unpublished).
- Lilly, P.A., 1977: *The geology of the Mount Shanzi Area, Messina*. B.Sc. (Hons.) dissertation (unpubl.), Univ. Witwatersrand, Johannesburg, 71pp.
- McCourt, S. 1983: Archaean lithologies of the Koedoesrand area, north-west Transvaal, South Africa. In: van Biljon, W.J. and J.H. Legg (eds.) *The Limpopo Belt*. Geol. Soc. S.Afr. Spec. Publ. 8, 113-120.
- McCourt, S. and J.R. Vearncombe, 1987: Shear zones bounding the central zone of the Limpopo Mobile Belt, southern Africa. *J. of Structural Geology*, 9, 127-137.
- McCourt S. and R.A. Armstrong, 1998: SHRIMP U-Pb zircon geochronology of granites from the Central Zone, Limpopo Belt, Southern Africa: Implications for the age of the Limpopo Orogeny. *S. Afr.J. Geol.*, 101, 329-338.
- McCourt S. and D.D. Van Reenen, 1992: Structural geology and tectonic setting of the Sutherland Greenstone Belt, Kaapvaal Craton, South Africa. *Precambrian Res.* 70, 93-110.
- McCourt S. and J.R. Vearncombe, 1992: Shear zones of the Limpopo Belt and adjacent granitoid-greenstone terrains: implications for late Archaean collision tectonics in southern Africa. *Precambrian Res.*, 55, 553-570.

- Miyano, T. T. Tsunogae and D.D. van Reenen, 1988: Fluid composition of granulite facies carbonate rocks in the Beit Bridge Complex near Tshipise in the Central Zone of the Limpopo Belt, South Africa. *Ann. Rep., Inst. Geosci. Univ. Tsukuba*, 14, 74-77.
- Mkweli S. and T.G. Blenkinsop, 1996: Some metamorphic constraints on the tectonic significance of the North Limpopo Thrust Zone, Limpopo Belt, Zimbabwe. *Abstract Int. Symp. on charnockite and granulite facies rocks, Madras*, pp38.
- Mkweli, S., B Kamber and M. Burger, 1995: Westward continuation of the craton-Limpopo Belt tectonic break in Zimbabwe and new age constraints on the timing of the thrusting. *J. Geol. Soc. London*. 152, 77-83.
- Perchuk, L.L.: 1973: *Thermodynamic regime of deep-seated petrogenesis*. Nauka Press, Moscow, 300pp (in Russian).
- Perchuk, L.L. 1977: Thermodynamic control of Metamorphic processes. In: Saxena, S.K. and S. Bhattacharj (eds.), *Energetics of geological processes*. New York: Springer, pp. 285-352.
- Perchuk L.L., L.Ya. Aranovich, K.K. Podlesskii, 1985: Precambrian granulites of the Aldan shield, Eastern Siberia, USSR. *J. Metamorph. Geol.*, 3, 265-310.
- Perchuk, L.L., T.V.Gerya, A.D.Nozhkin, 1989: Petrology and retrograde P-T path in granulites of the Kanskaya formation, Yenisey range, Eastern Siberia. *J. of Met. Geol.*, 7. P.599-617
- Perchuk, L.L. 1989: PT-fluid regimes of metamorphism and related magmatism with specific references Baikal Lake granulites. *Evolution of Metamorphic belts*. Geol. Soc. Spec. publ. (London) 42, 275-291.

- Perchuk, L.L., 1990: Derivation of thermodynamically consistent system of geothermometers and geobarometers for metamorphic and magmatic rocks. In : Perchuk, L.L. (ed.) *Progress in Metamorphic and magmatic petrology*. Cambridge University, 93-112.
- Perchuk, L.L., T.V. Gerya, D.D. van Reenen, O.G. Safonov, C.A. Smit, 1996: The Limpopo metamorphic complex, South Africa: 2. Decompression/ cooling regimes of granulites and adjacent rocks from the Kaapvaal Craton. *Petrology*, 4, 571-599.
- Perchuk L.L., T.V Gerya, D.D. van Reenen, A.V. Krotov, O.G. Safonov, C.A. Smit and M. Yu. Shur, 2000: Comparative petrology and metamorphic evolution of the Limpopo (South Africa) and Lapland (Fennoscandia) high grade terrains. *Mineralogy and Petrology*, 69, 69-107.
- Perkins D. and R.C. Newton, 1981: Charnockite geobarometers based on coexistence of garnet-pyroxene-plagioclase-quartz. *Nature*, 292, 144-146.
- Pienaar, J.C., 1985: *Die geologie van die Alldays omgewing in Noord Transvaal*. Unpubl. M.Sc. dissertation, Rand Afrikaans University , Johannesburg, 158p.
- Pretorius, S.J. 1986: *Die geologie in die omgewing van Swartwater en die Westelike deel van die Distrik Messina in die sentrale sone van die Limpopo gordel*. Unpubl. M.Sc. dissertation, Rand Afrikaans University, Johannesburg, 184pp.
- Retief, E.A., E.A. Compston, R.A. Armstrong, and I.S. Williams, 1990: Characteristics and preliminary U-Pb ages of zircons from Limpopo lithologies. *Abstract volume, Limpopo workshop*, Rand Afrikaans University, Johannesburg.

- Ridley, J.R. 1989: Vertical movement in orogenic belts and the timing of metamorphism relative to deformation. *Evolution of metamorphic belts. Geol. Soc. Sec. Publ.* (London) 43, 103-115.
- Ridley, J.R., 1992: On the origin and tectonic significance of the charnockite suite of the Archaean Limpopo mobile Belt, Northern Marginal Zone, Zimbabwe. *Precambrian Res.* 55, 407-427.
- Roering, C., D.D. van Reenen, C.A. Smit, J. M. Barton jr., J.H. De Beer, M.J. De Wit, E.H. Stettler, J.F. van Schalkwyk, G. Stevens & S. Pretorius, 1992a: Tectonic model for the evolution of the Limpopo Belt. In: D.D. van Reenen, C. Roering, L.D. Ashwal and M.J. de Wit (Editors), *The Archaean Limpopo Granulite Belt: Tectonics and Deep Crustal Processes. Precambrian Res.* 55, 539-552.
- Roering C., D.D. van Reenen, M.J. De Wit, C.A. Smit, J.H. De Beer, and J.F. van Schalkwyk, 1992b. Structural, geological and metamorphic significance of the Kaapvaal Craton/Limpopo Belt contact. *Precambrian Res.* 55, 69-80.
- Rollinson, H.R., 1993: A terrane interpretation of the Archaean Limpopo Belt. *Geol. Mag.*, 130 (6), 755-765.
- Rollinson, H. and T. Blenkinsop, 1995. The Magmatic, metamorphic and tectonic evolution of the Northern Marginal Zone of the Limpopo Belt in Zimbabwe. *Jour. Geol. Soc., London.* 152, 65-75.
- South African Committee for Stratigraphy (SACS), 1980: Stratigraphy of South Africa. Part 1 (comp. L.E. Kent). *Lithostratigraphy of the Republic of South Africa, South West Africa / Namibia, and the Republics of Bophuthaswana, Transkei, and Venda: Handb. Geol. Surv. S. Afr.* 8, 690pp.

- Schaller, M., O. Steiner, I. Studer, L. Holzer, and J.D. Kramers, 1997: Evidence for a 2.0Ga exhumation of the granulite facies Central Zone along the Palala shear Zone, Limpopo Belt, South Africa. *Terra Nova, abstract supplement, 1*, EUG9, Strasbourg, p. 368.
- Schaller M., O. Steiner, I. Studer, L. Holzer, M. Herwegh and J.D. Kramers, 1999: The Palala Shear Zone, Transvaal: Exhumation of the Limpopo Central Zone granulites and continent-scale transcurrent movement at 2.0Ga. *Precambrian Res.* 96, 263-268.
- Smit, C.A., C. Roering and D.D. van Reenen, 1992: The structural framework of the southern marginal zone of the Limpopo Belt, South Africa. In: D.D. van Reenen, C. Roering, L.D. Ashwal and M.J. de Wit (Editors), *The Archaean Limpopo Granulite Belt: Tectonics and Deep Crustal Processes. Precambrian Res.* 55, 51-67.
- Smit, C.A. and D.D. van Reenen, 1997: Deep crustal shear zones, high-grade tectonites, and associated metasomatic alteration in the Limpopo Belt, South Africa: Implications for deep crustal processes. *Jour. Geol.* 105, 37-57.
- Smit C.A. , D.D. Van Reenen, T. V. Gerya, and L.L. Perchuk, 2001: P-T conditions of decompression of the Limpopo high-grade terrain: record from shear zones. *J. of Met. Geol.*, 19, 249-268.
- Söhnge, P.G., 1946: The Geology of the Messina copper Mines and Surrounding Country. *Geol. Surv. S. Afr., Mem.* 40.
- Söhnge P.G., H.D. Le Roux and H.J. Nel, et al., 1948: The geology of the country around Messina. Explanation to sheet 46. *Geol. Surv. S. Afr.*, 74pp.

- Thompson, A.B., 1976: Mineral reactions in pelitic rocks II. Calculation of some P-T-X (Fe-Mg) phase relations. *Am. J. Sci.*, 276, 425-454.
- Tsunogae, T., T. Miyano and J. Ridley, 1992: Metamorphic P-T profiles from the Zimbabwe craton to the Limpopo belt, Zimbabwe. *Precambrian Res.*, 55: 259-277.
- Tsunogae, T. and H. Yurimoto, 1995: Single Zircon U-Pb geochronology of the Limpopo Belt by secondary ion mass spectrometry. *Geochem. J.*, 29, 197-205.
- Van Breemen, O., and C.J. Hawkesworth, 1980: Sm-Nd isotopic study of garnets and their metamorphic host rocks. *Trans. R. Soc. Edinburgh, Earth Sci.*, 71, 97-102.
- Van Reenen, D.D., 1986: Hydration of cordierite and hypersthene and a description of the retrograde orthoamphibole isograd in the Limpopo Belt, South Africa. *Am. Mineral.*, 71, 900-915.
- Van Reenen, D.D., J.M. Barton Jr., C. Roering, C.A. Smit and J.F. van Schalkwyk, 1987: Deep crustal response to continental collision: the Limpopo Belt of South Africa. *Geology*, 15, 11-14.
- Van Reenen, D.D. and C.A. Smit, 1996. The Limpopo Metamorphic Belt, South Africa: 1 Geological setting and relationship of the granulite complex with the Kaapvaal and Zimbabwe Cratons. *Petrology*, 4, 562-570.
- Van Reenen, D.D., C. Roering, G. Brandl, C.A. Smit, and J.M Barton Jr., 1990: The granulite facies rocks of the Limpopo Belt, South Africa. In: Vielzeuf D. and Ph. Vidal (Eds.), *Granulites and Crustal evolution. NATO ASI series C: Mathematical and Physical sciences*, 311, Kluwer Academic, Dordrecht, pp 257-289.

- Van Reenen, D.D., C. Roering, L.D. Ashwal and M.J. de Wit, 1992: Regional geological setting of the Limpopo Belt. In: D.D. van Reenen, C. Roering, L.D. Ashwal and M.J. de Wit (Editors), *The Archaean Limpopo Granulite Belt: Tectonics and Deep Crustal Processes. Precambrian Res.* 55, 1-5.
- Van Reenen, D.D., S. McCourt & C.A. Smit, 1995: Are the Southern and Northern Marginal Zones of the Limpopo Belt related to a single continental collisional event? *S. Afr. Jour. Geol.* 98, 498-504.
- Van Reenen D.D., C.A. Smit and J.M. Huizenga, 1999: The role of shear zones in the formation of granulites during the late Archaean Limpopo orogeny. *International symposium on charnockite and granulite facies rocks. Geologists amity of Tamil Nadu* pp. 39-52.
- Van Reenen, D.D., L.L. Perchuk C.A. Smit, D.A. Varlamov, R. Boshoff, J.M. Huizenga and T.V. Gerya, 2004: Structural and P-T evolution of a Major cross fold in the Central Zone of the Limpopo High-grade terrain, South Africa. *Jour. Pet.*, 45, 1-27.
- Watkeys, M.K., 1979: Explanation of the Geological Map of the country west of Beit Bridge. *Short rep. Geol. Surv. Rhod.*, 45, 96pp.
- Watkeys M.K. , 1983: A retrospective view of Central Zone of Limpopo Belt, Zimbabwe. *Geol. Soc. S. Afr., spec. publ.*, 8, 65-80
- Watkeys, M.K., 1984. *The Precambrian geology of the Limpopo Belt north and west of Messina*. Unpubl. Ph.D. thesis Univ. of the Witwatersrand, Johannesburg, 349pp.
- Watkeys, M.K., M.P.R. Light and R.J. Broderick, 1983: A retrospective view of the Central Zone of the Limpopo Belt, Zimbabwe. *Spec. Publ. Geol. Soc. S. Afr.*, 8, 65-80.

Zeh, A., R. Klemd, S. Buhlmann and J.M. Barton, 2004: Pro- and retrograde P-T evolution of granulites of the Beit Bridge Complex (Limpopo Belt, South Africa): constrains from quantitative phase diagrams and geotectonic implications. *Jour. Metamorphic Geol.*, in press.

