

Table of contents

1	INTRODUCTION.....	1
1.1	INTRODUCTION.....	1
1.2	PREVIOUS WORK.....	4
1.3	UNRESOLVED PROBLEMS (PROBLEM STATEMENT)	8
1.4	WORK PLAN.....	11
1.5	REFERENCES.....	13
2	STRATIGRAPHY OF THE KEIS SUPERGROUP.....	15
2.1	INTRODUCTION.....	15
2.2	STRUCTURE	16
2.3	REVISED STRATIGRAPHIC SUBDIVISION.....	17
2.4	LITHOSTRATIGRAPHY	27
2.4.1	LOCATION OF STRATIGRAPHIC PROFILES	27
2.4.2	TRANSVAAL SUPERGROUP	27
2.4.2.1	VOëLWATER SUBGROUP.....	27
2.4.2.1.1	<i>Beaumont Formation</i>	27
2.4.2.2	ELIM GROUP	28
2.4.2.2.1	<i>Mapedi Formation</i>	28
2.4.2.2.2	<i>Lucknow Formation</i>	28
2.4.3	KEIS SUPERGROUP.....	29
2.4.3.1	Olifantshoek Group.....	29
2.4.3.1.1	<i>Neylan Formation</i>	29
2.4.3.1.2	<i>Hartley Formation</i>	33
2.4.3.1.3	<i>Volop Formation</i>	34
2.4.3.1.4	<i>Top Dog Formation</i>	41
2.4.3.2	Grobbershoop Group	41
2.4.3.2.1	<i>Faanshoek Formation</i>	42
2.4.3.2.2	<i>Faansgeluk Formation</i>	44
2.4.3.2.3	<i>Maraisdraai Formation</i>	45
2.4.3.2.4	<i>Vuilnek Formation</i>	46
2.4.3.2.5	<i>Opwag Formation</i>	50
2.4.3.2.6	<i>Skurweberg Formation</i>	55
2.4.3.3	Wilgenhoutsdrif Group	59
2.4.3.3.1	<i>Grootdrink Formation</i>	60
2.4.3.3.2	<i>Zonderhuis Formation</i>	60
2.4.3.3.3	<i>Leerkrans Formation</i>	63
2.5	THE DABEP FAULT REVISITED.....	64

2.6	SUMMARY AND DISCUSSION OF STRATIGRAPHIC AND SEDIMENTOLOGICAL DEVELOPMENT	67
2.7	TECTONO SEDIMENTARY MODEL	72
2.8	CONCLUSIONS	75
2.9	REFERENCES	76
3	<i>CONTRASTING PROVENANCE OF SEDIMENTARY ROCKS OF THE KHEIS AND KAKAMAS TERRANES ADJOINING THE NAMAQUA FRONT</i>	80
3.1	INTRODUCTION	80
3.2	GEOLOGICAL OVERVIEW	80
3.2.1	KEIS SUPERGROUP	81
3.2.2	AREACHAP GROUP	84
3.2.3	KAKAMAS TERRANE.....	85
3.2.4	KORAS GROUP	86
3.2.5	NAMAQUA FRONT	87
3.3	PETROGRAPHY OF THE SEDIMENTARY ROCKS OF THE KHEIS AND KAKAMAS TERRANES	87
3.3.1	LUCKNOW FORMATION	88
3.3.2	KEIS SUPERGROUP.....	89
3.3.2.1	Olifantshoek Group.....	89
3.3.2.2	Groblershoop Group	96
3.3.2.3	Wilgenhoutsdrif Group	98
3.3.3	GOEDEHOOP FORMATION, KORANNALAND GROUP.....	101
3.4	HEAVY MINERAL POPULATIONS	102
3.4.1	METHOD AND CLASSIFICATION	102
3.4.2	OLIFANTSHOEK GROUP	103
3.4.3	GROBLERSHOOP GROUP	107
3.4.4	WILGENHOUTSDRIF GROUP.....	109
3.4.5	GOEDEHOOP FORMATION, KORANNALAND GROUP.....	109
3.5	DETRITAL ZIRCON AGE DETERMINATIONS	109
3.5.1	INTRODUCTION	109
3.5.2	LUCKNOW FORMATION of the TRANSVAAL SUPERGROUP.....	110
3.5.3	OLIFANTSHOEK GROUP	112
3.5.4	GROBLERSHOOP GROUP	122
3.5.5	WILGENHOUTSDRIF GROUP.....	126
3.5.6	KORANNALAND GROUP	131
3.5.6.1	Goedehoop Formation	131

3.5.6.2	Sandputs Formation	135
3.5.6.3	Collinskop Formation	137
3.5.7	SPRIGG FORMATION	140
3.6	CRYSTALLISATION AGE OF THE KOKERBERG GNEISS	143
3.7	DISCUSSION	146
3.7.1	COMPOSITION OF SOURCE ROCKS	146
3.7.1.1	Evidence from petrographic studies	146
3.7.1.2	Evidence from heavy mineral populations	146
3.7.1.2.1	<i>Introduction</i>	146
3.7.1.2.2	<i>Origin of the opaque hematite-ilmenite and pyrite population</i>	147
3.7.1.2.3	<i>Mica, glauconite and rutile</i>	148
3.7.1.2.4	<i>Heavy mineral assemblages as indicators of plate tectonic environments</i>	149
3.7.1.2.5	<i>Zircon composition and texture</i>	150
3.7.2	POSSIBLE SOURCES FOR DETRITAL ZIRCON AGE POPULATIONS	153
3.7.2.1	Keis Supergroup versus Korannaland Group age populations	153
3.7.2.2	Possible source areas for the Keis Supergroup	157
3.7.2.3	Possible source areas for the Korannaland Group	161
3.7.3	STRATIGRAPHIC VARIATIONS IN DETRITAL ZIRCON AGE POPULATIONS	163
3.7.3.1	Lucknow Formation of the Elim Group of the Transvaal Supergroup.....	163
3.7.3.2	Keis Supergroup	163
3.7.3.3	Korannaland Group.....	167
3.7.3.4	Sprigg Formation	168
3.8	TECTONIC SIGNIFICANCE OF PROVENANCE DATA.....	169
3.9	REFERENCES.....	172
4	⁴⁰Ar/³⁹Ar GEOCHRONOLOGY OF SELECTED SAMPLES IN THE KHEIS- AND KAKAMAS TERRANES.....	179
4.1	INTRODUCTION.....	179
4.2	SAMPLE LOCATIONS	179
4.2.1	GOEDEHOOP FORMATION of THE KORANNALAND GROUP	179
4.2.2	GROBLERSHOOP GROUP OF THE KEIS SUPERGROUP	181
4.3	⁴⁰Ar/³⁹Ar GEOCHRONOLOGY	183
4.4	DISCUSSION	187
4.5	CONCLUSIONS	188
4.6	REFERENCES.....	190
5	PLATE TECTONIC MODEL	191

5.1	INTRODUCTION.....	191
5.2	NEW FINDINGS OF THIS STUDY THAT NEEDS TO BE EXPLAINED IN A PLATE TECTONIC MODEL	196
5.3	BROAD TECTONIC FRAMEWORK.....	198
5.4	SUMMARY OF MAJOR FEATURES OF DIFFERENT TERRANES AND ROCK UNITS	201
5.4.1	KAAPVAAL CRATON.....	201
5.4.2	ZIMBABWE CRATON.....	202
5.4.3	LIMPOPO AND MAGONDI BELTS.....	205
5.4.4	KEIS SUPERGROUP.....	205
5.4.4.1	Olifantshoek Group.....	205
5.4.4.2	Grobbershoop Group.....	209
5.4.4.3	Wilgenhoutsdrif Group.....	210
5.4.5	AREACHAP GROUP.....	212
5.4.6	KGALAGADI TERRANE.....	213
5.4.7	RICHTERSVELD AND KAKAMAS TERRANES.....	215
5.4.8	KEIMMOES SUITE.....	218
5.4.9	KORAS GROUP.....	219
5.4.10	SPRIGG FORMATION.....	221
5.4.11	OTHER CONSIDERATIONS.....	221
5.5	PLATE TECTONIC MODEL.....	222
5.5.1	KEIS PASSIVE MARGIN BASIN AND PROVENANCE.....	222
5.5.2	COLLISIONAL TECTONICS.....	223
5.6	CONCLUSIONS.....	228
5.7	REFERENCES.....	230
6	CONCLUSIONS.....	236
A	<i>Appendix A: THE KAAPVAAL-KHEIS-NAMAQUA PROBLEM: A LITERATURE STUDY INTO 130 YEARS OF CONTINUING RESEARCH.....</i>	242
A.1	INTRODUCTION.....	242
A.2	INITIAL DEVELOPMENT LITHOSTRATIGRAPHIC CLASSIFICATIONS.....	243
A.2.1	PERIOD 1874 TO 1973.....	243
A.2.2	PERIOD 1974 TO 1980.....	250
A.2.3	PERIOD 1980 TO 1999.....	260
A.2.3.1	Wilgenhoutsdrif Formation.....	260
A.2.3.2	Kaaien Group.....	266
A.2.3.3	Marydale Group.....	268

A.2.3.4	Olifantshoek Sequence	268
A.2.3.5	Keimoes Suite	273
A.2.3.6	Areachap Group	274
A.2.3.7	Tectonic Domains	275
A.2.3.8	Koras Group	279
A.3	A NEW LITHOLOGICAL SUBDIVISION FOR THE KHEIS TECTONIC PROVINCE (1999).....	282
A.3.1	OLIFANTSHOEK SUPERGROUP	283
A.3.2	BRULPAN GROUP	284
A.3.3	VAALKOPPIES GROUP.....	288
A.3.4	WILGENHOUTSDRIF GROUP.....	289
A.4	STRUCTURAL FEATURES AND DEFORMATIONAL HISTORY	292
A.4.1	STRUCTURAL CONTROL ON KORAS DEPOSITION	292
A.4.2	STRUCTURAL EVOLUTION OF THE TRANSITIONAL ZONE BETWEEN THE KAAPVAAL CRATON AND THE NAMAQUA MOBILE BELT	293
A.4.3	LINEAMENTS AND FAULTS OF THE KHEIS BELT	295
A.4.4	TECTONIC TERRANES AND PROVINCES IN THE UPINGTON AREA.....	297
A.4.5	DEFORMATION ALONG THE EASTERN BOUNDARY OF THE NAMAQUA PROVINCE.....	304
A.4.6	POLYPHASE DEFORMATION OF THE KHEIS TECTONIC PROVINCE	306
A.4.7	THE DABEP FAULT AS A TERRANE BOUNDARY.....	307
A.5	THE METAMORPHISM OF THE SUCCESSIONS OF THE WESTERN MARGIN OF THE KAAPVAAL CRATON, KHEIS- AND NAMAQUA-NATAL MOBILE BELT.	312
A.5.1	METAMORPHISM OF THE AREA BETWEEN WILGENHOUTSDRIF AND KAKAMAS.....	312
A.5.2	METAMORPHISM OF THE KHEIS TECTONIC PROVINCE	313
A.6	MODELS FOR THE SEDIMENTOLOGICAL AND TECTONIC DEVELOPMENT OF THE SUCCESSIONS ON THE WESTERN MARGIN OF THE KAAPVAAL CRATON, KHEIS- AND NAMAQUA-NATAL MOBILE BELT.	316
A.6.1	OLIFANTSHOEK SEQUENCE	316
A.6.1.1	Deposition of the Volop Group of the Olifantshoek Sequence	316
A.6.1.2	Rifting and the formation of the Olifantshoek sequence	317
A.6.2	WILGENHOUTSDRIFT GROUP	320
A.6.2.1	The deposition of the Wilgenhoutsdrif Formation	320

A.6.2.2	Tectonic events giving rise to the formation of the Wilgenhoutsdrif Formation.....	321
A.6.3	AREACHAP GROUP	322
A.6.3.1	Tectonic model for the development of the Areachap Group and the Keimoes Suite	322
A.6.3.2	Two-stage model for the development of the Jannelsepan Formation.....	323
A.6.4	KHEIS TECTONIC PROVINCE.....	324
A.6.4.1	Depositional environment of the Kheis Tectonic Province.....	324
A.6.4.2	Tectonic evolution of the Kheis Tectonic Province.....	325
A.6.5	NAMAQUA MOBILE BELT	328
A.6.5.1	The tectonic development of the Namaqua Mobile Belt and its foreland	328
A.6.5.2	A geodynamic model for the northeastern boundary of the Namaqua Province.....	330
A.6.5.3	Rifting model for the north-eastern boundary of the Namaqua Province	331
A.6.5.4	Evolution of the lavas of the Koras Group and the Namaqualand granites.....	333
A.6.5.5	Tectonic model for the Namaqua Province	334
A.6.5.6	Development of the Namaqua Province	336
A.6.5.7	Evolution of the Namaqua-Natal Province in terms of a complete Wilson Cycle.....	338
A.6.5.8	Kinematic evolution of Namaqua-Natal-Dronning Maud Land.....	339
A.6.6	THE KORAS GROUP.....	341
A.6.6.1	Deposition of the Koras Formation	341
A.6.6.2	The deposition of the Koras Group.....	342
A.6.6.3	Deposition of the Koras Group in three domains	342
A.6.6.4	Similarities between the Wilgenhoutsdrif- and Koras Groups	343
A.7	DISCUSSION	345
A.8	REFERENCES.....	347
B	<i>Appendix B: PETROGRAPHIC DESCRIPTIONS OF SEDIMENTARY ROCKS FROM THE KEIS SUPERGROUP AND THE KORANNALAND GROUP.....</i>	353
C	<i>Appendix C: REINTERPRETED STRATIGRAPHIC MAP OF THE KHEIS TERRANE AND NAMAQUA PROVINCE IN THE NORTHERN CAPE PROVINCE, SOUTH AFRICA.....</i>	400
D	<i>Appendix D: REINTERPRETED LITHOLOGICAL MAP OF THE KHEIS TERRANE AND NAMAQUA PROVINCE IN THE NORTHERN CAPE PROVINCE, SOUTH AFRICA.....</i>	402