Profession	Frequency
General Practitioner	45
Specialist	10
Total	55

Years in practice	Frequency
1-10 years	14
11 - 20 years	24
21 or more years	17
Total	55

Gender	Frequency
female	18
male	37
Total	55

SES	Frequency
above affluent	4
affluent	11
average	39
below average	1
Total	55

Refer to	yes
Chiropractor	10
Physiotherapist	51
Osteopath	1
Orthopedic Surgeon	45
Neurologist / Neurosurgeon	45
Other	3

Section B: opinion of chiro	Disagreemer	Neutral	Agreement	
Any medical practitioner should be	46	6	2	54
Chiropractors are primary health ca	15	12	26	53
Chiropractic is a non-invasive alter	14	11	29	54
Chiropractors provide a similar serv	29	10	14	53
Chiropractors cause strokes in pati	37	12	5	54
Chiropractors do more harm to pati	35	15	5	55
I would only refer a patient to a Chi	15	8	31	54
A Chiropractor should not treat a p	15	17	23	55
I prefer to refer neuromusculoskele	15	14	26	55
I refer a patient to a Chiropractor o	25	19	11	55
Chiropractors should only do spina	28	21	6	55
Chiropractors should only do mobil	22	20	13	55
Chiropractors should be trained at	6	9	40	55
Chriopractors should not be allowe	7	21	27	55
Chiropractic is not scientifically pro	18	24	13	55
Chiropractors are quacks	39	12	4	55

		count			perce
Section C: chiro vs. physio		Ineffective	Effective	Total	Ineffective
Chiro	Acute lower b	10	44	54	19
Physio	Acute lower b	3	52	55	5
Chiro	Chronic lowe	11	43	54	20
Physio	Chronic lowe	4	51	55	7
Chiro	Disc herniatic	35	19	54	65
Physio	Disc herniatic	30	25	55	55
Chiro	Headaches /	20	32	52	38
Physio	Headaches /	13	41	54	24
Chiro	Neck pain	10	43	53	19
Physio	Neck pain	4	51	55	7
Chiro	Whiplash	18	34	52	35
Physio	Whiplash	7	48	55	13
Chiro	Sports Injurie	19	32	51	37
Physio	Sports Injurie	0	54	54	0
Chiro	Arthritis	33	20	53	62
Physio	Arthritis	23	32	55	42
Chiro	Joint pain	31	22	53	58
Physio	Joint pain	22	33	55	40
Chiro	Sciatica	21	32	53	40
Physio	Sciatica	13	42	55	24
Chiro	Post Laminec	27	26	53	51
Physio	Post Laminec	17	38	55	31

Chiropractic vs. Physiotherapy		Highly Ineffe	Ineffective	Effective	Highly Effecti
chiro	Acute lower b	1	9	40	4
chiro	Chronic lowe	3	8	36	7
chiro	Disc herniatic	10	25	17	2
chiro	Headaches /	3	17	28	4
chiro	Neck pain	1	9	39	4
chiro	Whiplash	2	16	32	2
chiro	Sports Injurie	1	18	25	7
chiro	Arthritis	6	27	17	3
chiro	Joint pain	5	26	20	2
chiro	Sciatica	3	18	29	3
chiro	Post Laminec	5	22	24	2
physio	Acute lower b		3	42	10
physio	Chronic lowe		4	46	5
physio	Disc herniatic	6	24	23	2
physio	Headaches /	3	10	39	2
physio	Neck pain	2	2	45	6
physio	Whiplash	3	4	40	8
physio	Sports Injurie			28	26
physio	Arthritis	1	22	31	1
physio	Joint pain	1	21	32	1
physio	Sciatica	1	12	35	7
physio	Post Laminec	3	14	33	5

ntage Effective
81
95
80
93
35
45
62
76
81
93
65
87
63
100
38
58
42
60
60
76
49
69

Total
54
54
54
52
53
52
51
53
53
53
53
55
55
55
54
55
55
54
55
55
55
55



Figure 4.5.1 Medical Opinion of Chiropractic



Figure 4.5.1 Medical Opinion of Chiropractic



Figure 4.6.1: Chiropractic treatment compared to Physiotherapy treatment



Figure 4.6.1: Chiropractic treatment compared to Physioterapy treatment



Figure 4.6.1: Chiropractic treatment compared to Physiotherpy treatment