

REFERENCES

American Psychiatric Association: Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (1994) Washington D.C., pp. 83-84.

August, G.J., Stewart, M.A., Holmes, C.S., (1983) A four-year follow-up of hyperactive boys with and without conduct disorder, *British Journal of Psychiatry*, vol. 49, pp. 728-738.

Barkley, R.A., (1997b) Behavioural inhibition and executive functions: Constructing a unified theory of ADHD, *Psychological Bulletin*, vol. 121, pp. 65-94.

Barkley, R.A., (1998) Attention Deficit Hyperactivity Disorder: A Handbook for Diagnosis and Treatment, New York: Guilford Press, pp. 3-4, 57-186, 510-526.

Barlow, D.H., Durand, V.M., (1995) Abnormal Psychology, California: Brooks/Cole Publishing Company, pp. 662-664.

Barrickman, L., Noyes, R., Kuperman, S., Schumacher, E., Verda, M., (1991) Treatment of ADHD with fluoxetine: A preliminary trial, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 30, pp. 762-767.

Baron-Cohen, S., Bolton, P., (1993) Autism: The Facts, England: Oxford University Press, pp. 12, 13, 17, 106.

Berkow, R., Fletcher, A.J., Beers, M.H., (1992) The Merck Manual of Diagnosis and Therapy, Sixteenth Edition, New Jersey: Merck Research Laboratories, pp. 2102-2105, 2665.

Biederman, J., Faraone, S.V., Keenan, K., (1991) Familial association between Attention Deficit Hyperactivity Disorder and Anxiety Disorders, *American Journal of Psychiatry*, vol. 148, pp. 251-256.

Biederman, J., Faraone, S.V., Mick, E., (1995) Psychiatric co-morbidity among referred juveniles with major depression: Fact or artifact?, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 34, pp. 579-590.

Biederman, J., Faraone, S. V., Mick, E., Spencer, T., Wilens, T., Kiely, K., Guite, J., Ablon, J. S., Reed, E., Warburton, R., (1995) High risk for attention deficit hyperactivity disorder among children of parents with childhood onset of the disorder: A pilot study. *American Journal of Psychiatry*, vol. 152, pp 431-435.

Birmaher, B., Greenhill, L.L., Cooper, T.B., Fried, J., Maminski, B., (1989) Sustained release methylphenidate: Pharmacokinetic studies in ADDH males, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 28, pp. 768-772.

Boericke, W., (2001) Pocket Manual of Homoeopathic Materia Medica and Repertory, Ninth Edition, New Delhi: B. Jain Publishers, pp. 507-511.

Bradley, C., (1937) The behaviour of children receiving Benzedrine, *American Journal of Psychiatry*, vol. 94, pp. 577-585.

Brenner, A., (1977) A study of the efficacy of the Feingold Diet on Hyperkinetic children, some favourable personal observations, *Clinical Paediatrics*, vol. 16, pp. 652-656.

Brody, H., (2000) The Placebo Response, New York: Harper Collins, p. 7.

Burcham, B., Carlson, L., Milich, R., (1993) Promising school-based practices for students with attention deficit disorder, *Exceptional Children*, vol. 60 (ed. 2), pp. 174-180.

James, M., (1997), US's Answer to Problem Children is to Keep Them Drugged, *Business Day Newspaper*, 10 July 1997.

Chatterjee, T.P., (1993), Fundamentals of Homoeopathy - Valuable Hints for Practice, Fourth edition, B.Jain Publishers (P) Ltd, New Delhi, pp 81-82.

Clarke, A.R., Barry, R.J., McCarthy, R., Selikowitz, M., (2002) EEG Analysis of Children with Attention-Deficit/Hyperactivity Disorder and Comorbid Reading Disabilities, *Journal of Learning Disabilities*, vol. 35 Issue 3, pp. 276-286.

Cohen, D.J., Young, J.G., Nathanson, J.A., Shaywitz, B.A., (1979) Clonidine in Tourette's syndrome, *Lancet*, vol. 2, pp. 551-553.

Connor, D.F., Fletcher, K.E., (1998) Clonidine in the treatment of children with ADHD and associated conditions: A critical review of efficacy, Manuscript submitted for publication.

Connors, C.K., (1980), Food additives and hyperactive children, Plenum, New York, pp. 12-21.

Diener, R.M., (1991) Toxicology of Ritalin. In L.L. Greenhill and B.B. Osmon (Eds.), *Ritalin: Theory and patient management*, pp.34-43, New York: Mary Ann Liebert.

Diller, L.H., (1998) Running on Ritalin, New York: Bantam Books, pp. 51, 262-265, 267.

Douglas, V.I., (1988) Dosage effects and individual responsivity to methylphenidate in Attention Deficit Disorder, *Journal of Child Psychology and Psychiatry*, vol. 27, pp. 191-211.

Du Plessis, S., Strydom, J., (1999) The Creators of ADHD on Trial, South Africa: Remedium CC, pp. 22-27.

Edwards, C.R.W., Bouchier, I.A.D., Haslett, C., Chivers, E.R., (1995) Davidson's Principles and Practice of Medicine, 17th edition, Edinburgh: Churchill Livingstone, pp.1066.

Eickstedt, K.S., (1969) Arzneimittel-Forschungen, vol. 19, pp. 316.

Elia, J., Rapoport, J.L., (1991) Ritalin versus dextroamphetamine in ADHD: Both should be tried. In Greenhill and B.B. Osmon (Eds.) *Ritalin: Theory and patient management*, New York: Mary Ann Liebert, pp. 69-74.

Epstein, J.N., Goldberg, N.A., Conners, C.K., March, J.S., (1997) The effects of anxiety on continuous performance test functioning in an ADHD clinic sample, *Journal of Attention Disorders*, vol. 2, pp. 45-52.

Faller, M.B., (2002) BADD Girls, South Africa: *The Saturday Star Newspaper*, 7 December 2002.

Faraone, S.V., Biederman, J., Jetton, J.G., Tsuang, M.T., (1997) Attention deficit disorder and conduct disorder: Longitudinal evidence for a familial subtype, *Psychological Medicine*, vol. 27, pp. 291-300.

Feingold, B.F., (1975) *Why your Child is Hyperactive*, Random House, pp. 52.

Feingold, B.F., (1975) Hyperkinesis and learning disabilities linked to artificial food flavours and colourings, *American Journal of Nursing*, vol. 75, pp. 797-803.

Filipek, P.A., Semrud-Clikeman, M., Steingard, R.J., Renshaw, P.F., Kennedy, D.N., Biederman, J., (1997) Volumetric MRI analysis comparing subjects having attention-deficit hyperactivity disorder with normal controls, *Neurology*, vol. 48, pp 589-601.

Fergusson, D.M., Horwood, L.J., (1992) Attention deficit and reading achievement, *Journal of Child Psychology and Psychiatry*, vol. 33, pp. 375-385.

Gadow, K.D., (1992) Paediatric psychopharmacotherapy: A review of recent research, *Journal of Child Psychology and Psychiatry*, vol. 33, pp. 153-196.

Ganong, W.F., (1993) *Review of Medical Physiology*, 16th edition, San Francisco: Prentice-Hall International Inc., pp. 193-194, 238, 247-248.

Gimpel, G.A., Kuhn, B.R., (1998) Maternal report of attention deficit hyperactivity symptoms in preschool children, *Child: Care, Health and Development*, vol.26, pp. 163-179.

Goodman, R., (1989) Genetic Factors in Hyperactivity, *British Medical Journal*, vol. 298, pp. 1407-1408.

Gordon, M., Mettelman, B.B., Irwin, M., (August 1990) *The impact of comorbidity on ADHD laboratory measures*, Paper presented at the annual meeting of the American Psychological Association, Boston.

Green, W.H., (1995) the treatment of attention-deficit hyperactivity disorder with nonstimulant medications, *Child and Adolescent Psychiatric Clinics of North America*, vol. 4, pp. 169-195.

Green, C., Chee, K.Y., (1997) Understanding A.D.H.D., London: Vermilion, pp. 9, 10, 236-237, 250.

Greenburg, L.M., Yellin, A.M., (1975) Blood pressure and pulse changes in hyperactive children treated with imipramine and methylphenidate, *American Journal of Psychiatry*, vol. 132, pp. 1325-1326.

Grimsley, S., Jann, M., (1992) Paroxetine, sertraline, and fluvoxamine: New selective serotonin reuptake inhibitors, *Clinical Pharmacy*, vol. 11, pp. 930-957.

Gualtieri, C.T., Evans, R.W., (1988) Motor performance in hyperactive children treated with imipramine, *Perceptual and Motor Skills*, vol. 66, pp. 763-769.

Hahnemann, S., (1998) *Organon of Medicine*, Reprint Edition, New Delhi: B. Jain Publishers, p. 92.

Herscu, P., (1991) *The Homoeopathic Treatment of Children*, Berkeley, California: North Atlantic Books, pp 175-213.

Hutchinson, E., Pearson, D., Fitzgerald, C., Bateman, B., Gant, C., Grundy, J., Stevenson, J., Warner, J., Dean, T., Matthews, S., Arshad, H., Rowlandson, P., (2000) Can parents accurately perceive hyperactivity in their child?, *Child: Care, Health and Development*, vol. 27, pp. 241-250.

Hynd, G.W., Serud Clikeman, M., Lorys, A.L., (1990) Brain morphology in developmental dyslexia and Attention Deficit Disorder/ Hyperactivity, *The Archives of Neurology*, vol. 47, pp. 919-926.

Jacobovitz, D., Sroufe, L.A., Stewart, M., (1990) Treatment of attentional and hyperactivity problems in children with sympathomimetic drugs: a comprehensive review, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 29, pp. 677-688.

Jensen, J.B., Martin, D., Cantwell, D.P., (1997) Comorbidity in ADHD: Implications for research, practice, and DSM-V, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 36, pp. 1065-1079.

Jensen, P.S., Shervette, R.E. III, Xenakis, S.N., Richters, J., (1993) Anxiety and depressive disorders in attention deficit disorder with hyperactivity: New findings, *American Journal of Psychiatry*, vol. 150, pp. 1203-1209.

Jordan, A., Jurgens, J., (1997), Shock Use of Drug to Tame Schoolkids, *Sunday Times Newspaper*, 10 August 1997.

Jouanny, J., (1994) *The Essentials of Homoeopathic Materia Medica*, France: Boiron Editions, p. 12.

Klich, R., Gladabch, B., (1975) Childhood behavioural disorders and their treatment, *Medizinische Welt*, vol. 26, pp. 1251-1254.

Kotkin, R.A., (1995) The Irvine Paraprofessional Program: Using paraprofessionals in serving students with ADHD, *Intervention in School and Clinic*, vol. 30 (ed. 4), pp. 235-240.

Kovacs, M., Akiskal, H.S., Galsonis, C., (1994) Childhood onset of dysthmic disorder: Clinical features and prospective naturalistic outcome, *The Archives of General Psychiatry*, vol. 51, pp. 365-374.

Kupietz, S.S., (1988) Effects of methylphenidate dosage in hyperactive, reading-disabled children: Behaviour and cognitive performance effects, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 27, pp. 70-77.

La Hoste, G.J., (1996) Dopamine D4 receptor gene polymorphism is associated with Attention Deficit Hyperactivity Disorder, *Molecular Psychiatry*, vol.1, pp. 121-124.

Landis, R., Khalsa, K.P.S., (1997) Herbal defence against illness and ageing, London: Thorsons, pp. 133, 320.

Laurence, L., Greenhill, L., (1998) Diagnosing Attention-Deficit/ Hyperactivity Disorder in Children, New York: Journal of Clinical Psychiatry, pp. 34-39.

Leary, P.M., (1994) Attention Deficit Hyperactivity Disorder, Cape Town: *Update*, vol. 9, pp. 158-163.

Lerner, J.W., (1993) Learning Disabilities: Theories, Diagnosis, and Teaching Strategies, Boston: Houghton Mifflin Company, pp. 47, 227-229.

Levy, F., Hobbes, G., (1988) Action of stimulant medication in Attention Deficit Disorder, with Hyperactivity: dopaminergic, noradrenergic, or both?, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 27, pp. 802-805.

Lockie, A., (1989) The Family Guide to Homeopathy, London: Elm Tree Books, pp. 373-374.

Lockie, A., Geddes, N., (1995) The Complete Guide to Homoeopathy: The Principles and Practice of Treatment, Halfway House: Southern Book Publishers (Pty) Ltd., pp. 10-21, 153-154.

Lou, H.C., Henricksen, L., Bruhn, P., Borner, H., Nielsen, J.B., (1989) Striatal dysfunction in Attention Deficit and Hyperkinetic Disorder, *The Archives of Neurology*, vol. 46, pp. 28-52.

Lutamski, J., (1960) Alkaloidy *Passiflora incarnata* L., Dissertation, Poznan: Institute for Medicinal Plant Research, pp. 61.

Lyon, M.R., Cline, J.C., Totony de Zepetnek, J., Shan, J.J., Pang, P., Benshin, C., (2001) Effect of the herbal extract combination *Panax quinquefolium* and *Ginkgo biloba* on Attention Deficit Hyperactivity Disorder: a pilot study, *Journal of Psychiatry and Neuroscience*, vol. 26, pp. 221-228.

Marotz, L.R., Cross, M.Z., Rush, J.M., (2001) Health, Safety, and Nutrition for the Young Child, 5th ed, Delmar Thomson Learning: Albany, New York, pp. 88, 232, 335.

Mattes, J.A., Tittelman, R., (1981) Effects of artificial food colourings in children with hyperactive symptoms, *The Archives of General Psychiatry*, vol. 38, pp. 714-718.

McGee, R., Williams, S., Silva, P.A., (1984) Background characteristics of aggressive, hyperactive, and aggressive-hyperactive boys, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 23, pp. 270-279.

McGee, R., Share, D.L., (1988) Attention Deficit Disorder and academic failure, which comes first and which should be treated?, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 27, pp. 318-327.

Meyer, J.M., (2001) The Efficacy of Melotone Syrup in the Treatment of Attention Deficit Hyperactivity Disorder, M-Tech Dissertation, Johannesburg: Technikon Witwatersrand, pp. 1-65.

Milberger, S., Biederman, J., Faraone, S.V., Murphy, J., Tsuang, M.T., (1995) Attention deficit hyperactivity disorder and comorbid disorders: Issues of overlapping symptoms, *American Journal of Psychiatry*, vol. 152, pp. 1783-1800.

Moilola, M.R.A., (2000) Manual of Clinical Homoeopathy, Johannesburg: MRM, pp. i-iii.

National Institute of Mental Health, (1996) [Unpublished findings from conference on Alternative Pharmacology of ADHD], Washington, D.C., USA.

Nicodemus, A., (1999), Ritalin Kids: Doped to Wake Up or Shut Up? *Mail and Guardian Newspaper*, 4 June 1999.

Nishiyama, N., Chu, P.J., Saita, H., (1996) A herbal prescription, S-113m, consisting of biota, ginseng, and schizandra, improves learning performance in senescence accelerated mouse, *Biological and Pharmacological Bulletin*, vol. 19, pp. 388-393.

Nown, G., (1997) Hyperactive Children and How to Deal with Them, *Citizen Newspaper*, South Africa, 7 November 1997.

O'Donnell, W.T., Warren, S.T., (2002) A decade of molecular studies of fragile X syndrome, *Annual Review of Neuroscience*, vol. 25, pp. 315-338.

Ortiz, J.G., Nieves-Natal, J., Chaves, P., (1999) Effects of valeriana officinalis extracts on [3H] flunitrazepam binding, synaptosomal [3H] GABA uptake, and hippocampal [3H] GABA release, *Neurochemical Research*, vol. 24, pp. 1373-1378.

Patrick, K.S., Meuller, R.A., Gualtieri, C.T., (1987) Pharmacokinetics and actions of methylphenidate, In H.Y. Meltzer (Ed.), *Psychopharmacology: The third generation of progress*, New York: Raven Press.

Peters, M. (2000) Diet Could Help to Counter ADD Curse, *The Saturday Star Newspaper*, South Africa, 15 January 2000.

Pliszka, S.R., (1992) Comorbidity of attention-deficit hyperactivity disorder and overanxious disorder, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 31, pp. 197-203.

Quin, V., Macauslan, A., (1986) *Dyslexia: What parents ought to know*, England: Penguin Books Ltd, pp 22, 190-194.

Quinn, P.O., Rapoport, J.L., (1975) One-year follow-up of hyperactive boys treated with imipramine or methylphenidate, *American Journal of Psychiatry*, vol. 35, pp. 241-245.

Quist, J.F., Kennedy, J.L., (2001) Genetics of childhood disorders: XXIII. ADHD, Part 7: The Serotonin System, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 40, ed. 2, pp. 253-257.

Rapoport, J.L., Quinn, P., Bradbard, G., Riddle, D., Brooks, E., (1974) Imipramine and methylphenidate treatment of hyperactive boys: A double-blind comparison, *Archives of General Psychiatry*, vol. 30, pp. 789-793.

Rapport, M., Carlson, G., Kelly, K., Patachi, C., (1973) Methylphenidate and desipramine in hospitalised children: I. Separate and combined effects on cognitive function, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 32, pp. 333-342.

Rapport, M.D., (1988) Attention Deficit Disorder and Methylphenidate. A multi-level analysis of dose response effect on children's impulsivity across settings, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 27, pp. 60-69.

Raskin, L.A., Shaywitz, S.E., Shaywitz, B.A., Anderson, G.M., Cohen, D.J., (1984) Neurochemical correlates of attention deficit disorder, *Pediatric Clinics of North America*, vol. 31, pp. 387-396.

Reeve, E., Garfinkel, B., (1991) Neuroendocrine and growth regulation: The role of sympathomimetic medication. In L.L. Greenhill and B.B. Osmon (Eds.), *Ritalin: Theory and patient management*, pp. 289-300, New York: Mary Ann Liebert.

Reeves, J.C., Werry, J., Elkind, G.S., Zametkin, A., (1987) Attention deficit, conduct, oppositional, and anxiety disorders in children: II Clinical characteristics, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 26, pp. 133-143.

Reichenburg-Ullman, J., Ullman, R., (1996), *Ritalin Free Kids: Safe and Effective Homeopathic Medicine for ADD and Other Behavioural and Learning Problems*, Rocklin, California: Prima Publishing, pp 24-33.

Richardson, E., Kupietz, S.S., Winsberg, B.G., (1988) Effects of methylphenidate dosage in hyperactive reading-disabled children II: reading achievement, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 27, pp. 78-87.

Ridyard, J., (2001), Put Your Kids on Diet, *Citizen Newspaper*, 11 December 2001, Johannesburg, South Africa.

Rowe, K.S., (1988) Synthetic food colourings and hyperactivity – A double-blind crossover study, *Australian Paediatrics Journal*, vol. 24, pp. 143-147.

Safer, D., Allen, T.W., (1976) *Hyperactive children*, New York: Wiley.

Salholz, E., Washington, F., Drew, L., (1987), Behaviour Pills: Disciplining Unruly Kids with a Potent Drug, *Newsweek Magazine*, 27 April 1987.

Saltus, R., (1999) Brain scan found effective in diagnosing Attention Disorder, *Lancet*, p. 1402.

Salzman, L.K., (1976) Allergy testing, psychological assessment, and dietary treatment of hyperactive child syndrome, *Medical Journal of Australia*, vol. 14, pp. 248-251.

Santrock, J.W., (1997) *Life-Span Development*, Sixth Edition, Dubuque: Brown & Benchmark Publishers, pp. 291-292.

Schaette, R., (1971) *Stable Valerian preparations*, Dissertation, Muenchen: Ger. Offen., pp. 230, 626.

Schain, R., Oetinger, L., (1978) *Attention Behaviour and Drugs in Hyperactive Children, The Psychologist, the School and then Child with MBD/LD*, New York: Grure and Stratton Inc., p. 210.

Schroyens, F., (1998) *Synthesis: Repertorium Homeopathicum Syntheticum*, London: Homeopathic Book Publishers, pp. 29, 36, 37, 104, 119, 132, 133, 154, 161, 164, 182, 1233, 1562, 1639, 1674.

Scholte, E.M., van Berckelaer-Onnes, I.A., van der Ploeg, J.D., (2001) *DSM-IV Related ADHD Symptom Ratings by Professional Caretakers in Residential Treatment Centres*, *Journal of Child Psychology and Psychiatry*, vol. 42, pp. 341-346

Scholten, J., (1993) *Homoeopathy and Minerals*, The Netherlands: Stichting Alonnisos, pp 85-106.

Semrud-Clikemen, M., Biederman, J., Sprich-Buckminster, S., Lehman, B.K., Faraone, S.V., Norman, D., (1992) *Comorbidity between ADHD and learning disability: A review and report in a clinically referred sample*, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 31, pp. 439-448.

Semrud-Clikeman, M., Filipek, P.A., Biederman, J., Steingard, R., Kennedy, D., Renshaw, P., Bekken, K., (1994) *Attention-deficit hyperactivity disorder: Magnetic resonance imaging morphometric analysis of the corpus callosum*, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 33, pp. 875-881.

Schaette, R., (1971) *Stable Valerian preparations*, Dissertation, Muenchen: Ger. Offen., pp. 230, 626.

Shaywitz, S.E., Cohen, D.J., Shaywitz, B.A., (1978) The biochemical basis for minimal brain dysfunction, *Journal of Paediatrics*, vol. 95, pp. 179-187.

Shekim, W.O., De Kirmenjian, H., Chapel, J.L., Javoid, J., Davis, J.M., (1979) Norepinephrine metabolism and clinical response to dextroamphetamine in hyperactive boys, *Journal of Paediatrics*, vol. 92, pp. 389-394.

Sifton, D.W. (editor-in-chief), (2002) The Physician's Desk Reference (PDR®) Pocket Guide to Prescription Drugs, 5th ed., Pocket Books: New York, USA, pp. 218-220.

Silva, R.R., Munoz, D.M., Alpert, M., (1996) Carbamazepine use in children and adolescents with features of attention-deficit hyperactivity disorder: A meta-analysis, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 35, pp. 352-358.

Smith, L., (2001) The Effect of Cerbo® and Nerva 2® on Attention Deficit Hyperactivity Disorder, M-Tech Dissertation, Johannesburg: Technikon Witwatersrand, pp. 1-93.

Spencer, T.J., Biederman, J., Wilens, T., Harding, M., O'Donnol, D., Griffin, S., (1996) Pharmacotherapy of ADHD across the lifecycle: A literature review, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 35, pp. 409-432.

Sprague, R.L., Sleater, E.K., (1977) Methlyphenidate in hyperkinetic children, differences in dose effect of learning and social behaviour, *Science*, vol. 198, pp. 1274-1276.

Strauss, L.C., (1998) The Efficacy of Selenium Homaccord in the Management of Attention Deficit Hyperactivity Disorder, M-Tech Dissertation, Johannesburg: Technikon Witwatersrand, pp. 1-73.

Swanson, J.M., (1998) Dopamine Genes and ADHD, Presented at INABIS '98 – 9th Internet World Congress on Biomedical Sciences at McMaster University, Canada, Dec 7 – 16th 1998. Invited Symposium.

Szatmari, P., Offord, D.R., Boyle, M.H., (1989), ADDH and conduct disorder: Degree of diagnostic overlap and differences among correlates, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 28, pp. 865-872.

Szatmari, P., (1992) The Epidemiology of Attention-Deficit Hyperactivity Disorder, *Child and Adolescent Psychiatric Clinics of North America*, vol.1, pp 62-68.

Tannock, R., (1994) Attention Deficit Disorders with Anxiety Disorders: Subtypes of Attention Deficit Disorders in Children, Adolescents, and Adults, New York: American Psychiatric Press, pp. 56-98.

Teicher, M., McBride, H., Buonpane, N., Schneider, D., (1977) Differentiation of alcoholics according to childhood history of minimal brain dysfunction, family history, and drinking pattern, *The Archives of General Psychiatry*, vol. 34, pp. 761-768.

Vander, A.J., Sherman, J.H., Luciano, D.S., (1994) Human Physiology – The Mechanics of Body Function, New York, U.S.A.: McGraw-Hill Inc., pp 221, 352, 360-361, 378, 384.

Vermeulen, F., (1997) Concordant Materia Medica, The Netherlands, Haarlem: Emryss bv Publishers, pp. 478-488.

Vithoulkas, G., (1998) The Science of Homeopathy: Indian edition, Tiller, W.A. ed., New Dehli: B.Jain Publishers, pp. 191, 217-219.

Walker, A.R.P., (1983) Diet and the Hyperactive Child, *South African Journal of Hospital Medicine*, vol. 9, pp. 2-3.

Waizer, J., Hoffman, S.P., Polizos, P., (1974) Outpatient treatment of hyperactive school children with imipramine, *American Journal of Psychiatry*, vol. 131, pp. 587-591.

Wargin, W., Patrick, K., Kilts, C., Gualtieri, C.T., Ellington, K., Mueller, R.A., Kraemer, G., Breese, G.R., (1983) Pharmacokinetics of methylphenidate in man, rat, and monkey, *Journal of Pharmacology and Experimental Therapeutics*, vol. 226, pp. 382-386.

Watson, I., (1998), A guide to the methodologies of homoeopathy, Cutting edge publications, England, p 23.

Watson, I., (1999) A Guide to the Methodologies of Homoeopathy: Revised edition, England: Cutting Edge Publications, p. 23.

Wender, P.H., (1987) Attention Deficit Disorder, *McGraw-Hill Encyclopaedia of Science and Technology*, vol. 2, New York: McGraw-Hill Inc., pp. 218-220.

Werry, J. (1980) Imipramine and methylphenidate in hyperactive children, *Journal of Child Psychology and Psychiatry*, vol. 21, pp. 27-35.

Wozniak, J., Biederman, J., Kiely, K., Ablon, S., Faraone, S.V., Mundy, E., Mennin, D., (1995) Mania-like symptoms suggestive of childhood-onset bipolar disorder in clinically referred children, *Journal of the American Academy of Child and Adolescent Psychiatry*, vol. 34, pp. 867-876.